

HUNTER X-22 TAKEDOWN FOREND - MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Hunter X-22 Takedown Forend is intended for use with additional barrels on rifles currently equipped with the Hunter X-22 Takedown Stock. Made from high quality reinforced polymer, the X-22 Takedown Forend features a reversible barrel tray, ensuring proper fit for factory pencil profiles as well as heavy bull barrels with up to 0.920" outer diameter. It features multiple M-LOK® slots for accessory attachment and an adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated). It also includes a dimpled drill point at the bottom of the forend for installation of sling swivel studs for bipod or sling swivel use. FEATURES Compatible with the Hunter X-22 Takedown Stock Easy exchange of different barrels for the same rifle Reversible barrel tray accepts factory and aftermarket barrels up to 0.92" OD Adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated) M-LOK® slots on forend sides and bottom for a variety of accessory and sling mounting options Dimpled drill point to install optional sling swivel studs such as the Sling Swivel Stud, MAG819 Reinforced polymer construction for strength and durability Made in the U.S.A.



Attributes

- Name: [MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN FDE](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100040221
- Mfr. No.: MAG1065-FDE
- Colour: Flat Dark Earth
- Length: 10.5
- Material: Polymer
- Model: 10/22 Takedown
- Style: M-LOK
- Weapon type: Ruger
- Delivery weight: 0.299kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 279mm
- UPC: 840815122975

Item details

Made in USA
US export classification: 0A501.y.1

Table of Contents

- Startpage
- HUNTER X22 Takedown Forend Safety Instruction Guide
- About Us

HUNTER X22 Takedown Forend Safety Instruction Guide

Introduction

Thank you for choosing the HUNTER X22 Takedown Forend. This product is designed to enhance the performance and versatility of your Ruger 10/22 Takedown rifle. To ensure safe and effective use, please read and follow the safety instructions provided in this guide.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and respect.
- Ensure that the firearm is unloaded before installing or removing the forend.
- Use the forend only with compatible barrels and accessories as specified in the product description.
- Regularly inspect the forend for any signs of wear or damage before each use.
- Store the forend and any associated equipment in a secure location out of reach of children and unauthorized users.
- Be aware of your surroundings and ensure a safe environment when using your firearm.

Specific Safety Precautions for Use

- Ensure that the forend is securely attached to the rifle before use.
- Do not exceed the recommended barrel dimensions (up to 0.920" outer diameter) to avoid potential hazards.
- Always use the adjustable barrettensioning shim as instructed to prevent barrel movement.
- When installing sling swivel studs, ensure that the dimpled drill point is used correctly to avoid damaging the forend.
- Avoid using the forend in conditions that may compromise its structural integrity, such as extreme temperatures or exposure to harsh chemicals.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Remove the existing forend from the Hunter X22 Takedown Stock by following the manufacturer's instructions.
3. Align the new HUNTER X22 Takedown Forend with the stock, ensuring that the barrel tray is positioned correctly for your barrel type (factory pencil or heavy bull).
4. Securely attach the forend to the stock, ensuring that it is locked in place.
5. Adjust the barrettensioning shim as needed to achieve the desired preload or freefloat configuration.
6. If installing sling swivel studs, mark the dimpled drill point location and carefully drill as per the instructions provided with the studs.

Usage

- Always check that the forend is properly installed and secured before firing the rifle.
- Use the MLOK® slots to attach accessories as needed, ensuring they are compatible and securely fastened.
- Regularly inspect the forend and accessories for any signs of wear or damage during use.

Disposal Instructions

- Dispose of the forend responsibly, following local regulations for plastic and polymer waste.
- If the forend is damaged or no longer usable, consider recycling options if available.

Contact Information for Further Support

For any inquiries, concerns, or additional support regarding the HUNTER X22 Takedown Forend, please refer to the manufacturer's contact information included with your purchase.

Thank you for prioritizing safety and compliance while using the HUNTER X22 Takedown Forend. Enjoy your enhanced shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk