

HUNTER X-22 TAKEDOWN FOREND - MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN GRAY

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Hunter X-22 Takedown Forend is intended for use with additional barrels on rifles currently equipped with the Hunter X-22 Takedown Stock. Made from high quality reinforced polymer, the X-22 Takedown Forend features a reversible barrel tray, ensuring proper fit for factory pencil profiles as well as heavy bull barrels with up to 0.920" outer diameter. It features multiple M-LOK® slots for accessory attachment and an adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated). It also includes a dimpled drill point at the bottom of the forend for installation of sling swivel studs for bipod or sling swivel use. FEATURES Compatible with the Hunter X-22 Takedown Stock Easy exchange of different barrels for the same rifle Reversible barrel tray accepts factory and aftermarket barrels up to 0.92" OD Adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated) M-LOK® slots on forend sides and bottom for a variety of accessory and sling mounting options Dimpled drill point to install optional sling swivel studs such as the Sling Swivel Stud, MAG819 Reinforced polymer construction for strength and durability Made in the U.S.A.



Attributes

- Name: [MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN GRAY](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100040222
- Mfr. No.: MAG1065-GRY
- Colour: Grey
- Length: 10.5
- Material: Polymer
- Model: 10/22 Takedown
- Style: M-LOK
- Weapon type: Ruger
- Delivery weight: 0.299kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 279mm
- UPC: 840815122982

Item details

Made in USA
US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for HUNTER X22 Takedown Forend
- About Us

Safety Instruction Guide for HUNTER X22 Takedown Forend

Introduction

Thank you for choosing the HUNTER X22 Takedown Forend for your Ruger 10/22 Takedown rifle. This guide provides essential safety instructions and information to ensure the proper use and maintenance of your product in compliance with EU General Product Safety Regulation (GPSR). Please read this guide carefully before using your forend.

General Safety Guidelines

- Always ensure that the firearm is unloaded before attaching or detaching the forend.
- Use the forend only with the compatible Hunter X22 Takedown Stock.
- Regularly inspect the forend for any signs of wear or damage before each use.
- Keep the forend and all accessories out of reach of children and unauthorized users.
- Always follow local laws and regulations regarding the use and modification of firearms.

Specific Safety Precautions for Use

- Ensure that the barrel you are using is compatible with the reversible barrel tray, accommodating factory pencil profiles and heavy bull barrels up to 0.920" outer diameter.
- When adjusting the barrettensioning shim, do so carefully to avoid overtightening, which may damage the barrel or forend.
- Use only MLOK® compatible accessories to prevent instability or detachment during use.
- Make sure to install sling swivel studs at the dimpled drill point correctly to ensure secure attachment.
- Avoid using the forend for purposes other than its intended use, as this may lead to injury or damage.

Instructions for Installation and Usage

1. Installation of the Forend:

- Ensure the rifle is unloaded and safe.
- Remove the existing forend (if applicable) by following the manufacturer's instructions.
- Align the Hunter X22 Takedown Forend with the stock and barrel.
- Securely attach the forend, ensuring it is fitted properly and all components are aligned.

2. Barrel Installation:

- Select the appropriate barrel for use with the reversible barrel tray.
- Place the barrel into the tray, ensuring a snug fit.
- Adjust the barrettensioning shim as needed, making sure not to overtighten.

3. Accessory Attachment:

- Identify the MLOK® slots on the forend.
- Position your accessory in the desired slot and secure it according to the accessory manufacturer's instructions.

4. Sling Swivel Stud Installation:

- Use the dimpled drill point to install sling swivel studs.
- Follow the specific installation instructions provided with the sling swivel studs.

5. Usage:

- Always handle the rifle with care, treating it as if it is loaded.
- Ensure that all accessories are securely attached before use.
- Regularly check the integrity of the forend and accessories during use.

Disposal Instructions

- When disposing of the HUNTER X22 Takedown Forend, follow local regulations for the disposal of polymer materials.
- Do not dispose of the forend in a manner that could harm the environment or pose a risk to public safety.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any inquiries related to the safety and usage of the HUNTER X22 Takedown Forend, please refer to your local retailer or manufacturer's website for support and resources.

By adhering to these safety instructions, you can ensure a safe and enjoyable experience with your HUNTER X22 Takedown Forend. Thank you for your attention to safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk