

# **HUNTER X-22 TAKEDOWN FOREND - MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN ODG**

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Hunter X-22 Takedown Forend is intended for use with additional barrels on rifles currently equipped with the Hunter X-22 Takedown Stock. Made from high quality reinforced polymer, the X-22 Takedown Forend features a reversible barrel tray, ensuring proper fit for factory pencil profiles as well as heavy bull barrels with up to 0.920" outer diameter. It features multiple M-LOK® slots for accessory attachment and an adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated). It also includes a dimpled drill point at the bottom of the forend for installation of sling swivel studs for bipod or sling swivel use. FEATURES Compatible with the Hunter X-22 Takedown Stock Easy exchange of different barrels for the same rifle Reversible barrel tray accepts factory and aftermarket barrels up to 0.92" OD Adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated) M-LOK® slots on forend sides and bottom for a variety of accessory and sling mounting options Dimpled drill point to install optional sling swivel studs such as the Sling Swivel Stud, MAG819 Reinforced polymer construction for strength and durability Made in the U.S.A.



## **Attributes**

- Name: [MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN ODG](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100040223
- Mfr. No.: MAG1065-ODG
- Colour: O.D. Green
- Length: 10.5
- Material: Polymer
- Model: 10/22 Takedown
- Style: M-LOK
- Weapon type: Ruger
- Delivery weight: 0.299kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 279mm
- UPC: 840815122999

## **Item details**

Made in USA  
US export classification: 0A501.y.1

# Table of Contents

- Startpage
- HUNTER X22 Takedown Forend Safety Instructions
- About Us

# HUNTER X22 Takedown Forend Safety Instructions

## Introduction

Thank you for choosing the HUNTER X22 Takedown Forend for your Ruger 10/22 Takedown rifle. This product is designed to enhance your shooting experience while ensuring safety and compliance with the EU General Product Safety Regulation (GPSR). Please read this safety instruction guide thoroughly before use to ensure proper handling and installation.

## General Safety Guidelines

- Always treat your firearm and its accessories as if they are loaded.
- Ensure that you are familiar with the operation of your firearm and the forend before use.
- Store the forend and all firearm components in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the forend for any signs of wear or damage. Do not use if damaged.
- Follow all local laws and regulations regarding the use of firearms and accessories.
- Report any unsafe products or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that the forend is compatible with your specific model of Ruger 10/22 Takedown rifle.
- Do not exceed the specified barrel diameter of 0.920 inches when selecting barrels for use with the forend.
- Always use the adjustable barreltensioning shim to secure the barrel properly.
- When installing sling swivel studs, ensure that the dimpled drill point is used to avoid damage to the forend.
- Avoid using the forend in extreme temperatures or environments that may affect its integrity.

## Instructions for Installation and Usage

### Installation Steps

1. **Prepare Your Workspace:** Ensure you have a clean, flat surface to work on. Gather all necessary tools and components, including the forend, barrel, and sling swivel studs.
2. **Remove Existing Forend (if applicable):**
  - Ensure your firearm is unloaded.
  - Follow the manufacturer's instructions to safely remove the existing forend from your Ruger 10/22 Takedown.
3. **Attach the Forend:**
  - Align the Hunter X22 Takedown Forend with the receiver of your rifle.
  - Secure the forend according to the manufacturer's instructions, ensuring it is fitted snugly.
4. **Install the Barrel:**
  - Insert the desired barrel into the forend, ensuring it fits properly within the reversible barrel tray.
  - Use the adjustable barreltensioning shim to set the barrel preload as needed.
5. **Install Sling Swivel Studs (if desired):**

- Use the dimpled drill point at the bottom of the forend to install sling swivel studs.
- Follow the manufacturer's instructions for securing the studs properly.

## Usage Guidelines

- After installation, doublecheck all connections and fittings to ensure everything is secure.
- Test the functionality of the forend with your firearm before taking it to the range.
- Always adhere to safe shooting practices when using your firearm equipped with the forend.

## Disposal Instructions

- When disposing of the Hunter X22 Takedown Forend, follow local regulations regarding the disposal of polymer materials.
- Do not incinerate the forend as it may release harmful substances.
- If the forend is damaged beyond use, consider recycling it where facilities exist.

## Contact Information for Further Support

For any further inquiries or support regarding the HUNTER X22 Takedown Forend, please refer to the manufacturer's contact information provided with the product packaging.

By following these safety instructions, you can ensure a safe and enjoyable experience using your HUNTER X22 Takedown Forend. Always prioritize safety and responsibility when handling firearms and their accessories.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)