

# OFFSET OPTIC MOUNT - ARISAKA DEFENSE PLATE #6 STANDARD HEIGHT (1.5"-1.8") OPTIC PLATE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Patent Pending Arisaka Offset Optic Mount is a modular mounting solution that allows the user to select a 35 or 45 degree offset position for a red dot sight without requiring additional components. The 35 degree position brings the red dot sight up closer to slimmer, smaller scopes, while the 45 degree position provides additional clearance around wider turrets or larger, higher magnification scopes. The Arisaka Offset Optic Mount is designed to be attached to the top Picatinny rail of an AR15 rifle. When the rifle is canted to make use of the offset red dot sight, the optic remains centered over the bore and maintains a lower 1/3 co-witness height. The base and optic plates can be reversed, allowing for use on the left or right side. The base and plates can each be purchased separately or as a combination, providing an upgrade path in the future as users acquire new red dot sights. Weight: 1.9 oz without optic. Length: 1.0" for the base, which occupies three Picatinny slots (twin recoil lugs and clamping screw). Height: The base sits 0.180" above the surface of the Picatinny rail. The mount is CNC machined from 6061-T6 aluminum and MIL-A-8625 Type III hard coat anodized. IP20 and IP27 Torx Plus bit drivers are included with each base. Standard height (for 1.5" to 1.8" scope mounts): Plate 1: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 2: Trijicon RMR, SRO, Holosun 407C, 507C, 508T, Swampfox Kingslayer, Liberty, Justice Plate 4: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 5: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 6: Aimpoint Acro Tall height (1.9" to 2.2" scope mounts): Plate 7: Docter, Eotech MRDS, Insight, Meopta, Vortex Venom/Viper, Burris Fastfire III Plate 8: Trijicon RMR, SRO, Holosun 407C, 507C, 508T Plate 10: Leupold Delta Point Pro, JPoint, Shield RMS, RMSc, Swampfox Sentinel, SIG Romeo Zero Plate 11: Aimpoint Micro T1/T2/H1/H2, SIG Romeo 4, 5 (not 5X), Holosun HS403 (not A), HS503, HS515, HS530 Plate 12: Aimpoint Acro



## Attributes

- Name: [ARISAKA DEFENSE PLATE #6 STANDARD HEIGHT \(1.5"-1.8"\) OPTIC PLATE](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 100040411
- Mfr. No.: OOM-P6
- Bullet Style: -
- Caliber: -
- Colour: Black
- Diameter (in): -
- Fits / Used For: -
- Grain: -
- Material: -
- Number of Bases: -
- Style: -
- Delivery weight: 0.027kg
- Shipping height: 25mm
- Shipping width: 54mm
- Shipping length: 114mm

- UPC: 601557939685

## **Item details**

Made in USA

# Table of Contents

- Startpage
- OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #6 STANDARD HEIGHT (1.5"1.8") OPTIC PLATE Safety Instruction Guide
- About Us

# OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #6 STANDARD HEIGHT (1.5"1.8") OPTIC PLATE Safety Instruction Guide

## Introduction

Thank you for choosing the OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #6. This product is designed to enhance your shooting experience by providing a reliable and adjustable mounting solution for your red dot sight. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Always ensure that the optic mount is securely attached to the rifle before use.
- Regularly inspect the mount for signs of wear, damage, or loosening.
- Do not exceed the recommended weight limit for the optic mount.
- Keep the product out of reach of children and unauthorized users.
- Be aware of your surroundings and ensure a safe shooting environment.
- Follow all local laws and regulations related to firearm use and ownership.

## Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the rifle is unloaded and pointed in a safe direction during installation.
- **Optic Compatibility:** Verify that your optic is compatible with the mount before attaching it.
- **Canted Positioning:** When using the offset red dot sight, ensure that the rifle is canted at a safe angle to maintain control.
- **Height Adjustment:** Confirm that the height of the optic is appropriate for your shooting style and comfort.
- **Weight Considerations:** The mount is designed to support optics weighing up to 1.9 oz without the optic. Exceeding this weight may compromise safety and effectiveness.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the rifle is unloaded and pointed in a safe direction.
- Position the OFFSET OPTIC MOUNT on the top Picatinny rail of the rifle.
- Align the mount with the desired Picatinny slots.
- Secure the mount using the provided clamping screw and twin recoil lugs. Ensure it is tightened properly to prevent movement.
- Choose the desired optic plate (Plate 1 to Plate 6) based on your optic compatibility and attach it to the mount.

### 2. Usage:

- When ready to use, check that the optic is securely mounted and properly aligned.
- Adjust the angle of the rifle to utilize the offset red dot sight effectively.
- Maintain a proper shooting stance and control of the rifle at all times.
- After use, remove the optic if necessary and store it in a safe location.

## Disposal Instructions

- Dispose of the OFFSET OPTIC MOUNT in accordance with local regulations regarding aluminum and metal waste.
- If the product is damaged or no longer in use, consider recycling it to minimize environmental impact.
- Do not dispose of the product in regular household waste.

## Contact Information for Further Support

For any inquiries or concerns regarding safety, installation, or usage of the OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #6, please refer to the manufacturer's contact information provided with your product packaging.

## Conclusion

By following these safety instructions, you can ensure the safe and effective use of your OFFSET OPTIC MOUNT ARISAKA DEFENSE PLATE #6. Always prioritize safety and responsible firearm handling practices. Thank you for your attention to these guidelines, and enjoy your shooting experience!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)