

AR-15 GI LOWER PARTS KIT

[Home](#)

The KE Arms AR-15 GI Parts Kit has every part you need to assemble your bare lower receiver into a functional piece for your custom AR-15 or M4 build. All parts Made in USA Trigger Guard and Pistol Grip Trigger guard assembly- Enhanced Polymer Winter Trigger Guard, secures with roll pin and set screw for easy installation (allen wrench not included) Trigger guard roll pin A2 Pistol grip-Injection Molded Glass Filled Nylon Pistol grip screw Grip screw lock washer-Stainless Steel Fire Control Group Hammer- Investment Cast and Precision Machined Steel, Magnesium Phosphate Coating Hammer Spring- Black Oxide Coated Trigger- Investment Cast and Precision Machined Steel, Magnesium Phosphate Coating Trigger Spring- Black Oxide Coated Disconnector- Fine Blank and Precision Machined Black Oxide Disconnector Spring-Black Oxide Coated Safety selector- Investment Cast and Precision Machined Steel, Magnesium Phosphate Coating Selector detent spring-Black Oxide Coated Safety selector detent-Melonite Coated Steel Magazine Catch Assembly Magazine release button-Anodized Aluminum Magazine catch- Melonite Coated Steel Magazine catch spring-Black Oxide Coated Buffer Retainer Assembly Buffer retainer-Melonite Coated Steel Buffer retainer spring-Black Oxide Coated Bolt Catch Assembly Bolt catch- Investment Cast, Magnesium Phosphate Coating Bolt catch plunger-Melonite Coated Steel Bolt catch spring-Black Oxide Coated Bolt catch roll pin Take Down/Pivot Pin Assemblies Takedown pin detent springs (2)-Black Oxide Coated, longer than standard trim to length needed for your lower Takedown pin detents (2)- Melonite Coated Steel Takedown pin-Melonite Coated Steel Pivot pin-Melonite Coated Steel



Attributes

- Name: [AR-15 GI LOWER PARTS KIT](#)
- Manufacturer: [KE ARMS](#)
- Product no.: 100040579
- Mfr. No.: 1-50-01-543
- Make: AR-15
- Delivery weight: 0.272kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 700600851803

Item details

Made in USA
US export classification: 0A501.c

Table of Contents

- Startpage
- AR15 GI Lower Parts Kit Safety Instruction Guide
- About Us

AR15 GI Lower Parts Kit Safety Instruction Guide

Introduction

Thank you for purchasing the KE Arms AR15 GI Lower Parts Kit. This kit contains all the necessary components to assemble your bare lower receiver into a functional piece for your custom AR15 or M4 build. It is crucial to follow the safety guidelines outlined in this manual to ensure safe usage and compliance with EU regulations.

General Safety Guidelines

- Ensure that all parts are installed correctly according to the instructions provided.
- Always treat the firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store all parts and tools in a secure location, away from children and unauthorized users.
- Regularly inspect all components for wear or damage before use.
- Report any unsafe products or accidents to the authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Make sure to wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during assembly.
- Use tools as intended and avoid using excessive force during installation.
- Ensure that the work area is clean, organized, and free from distractions.
- Never attempt to modify any part of the kit beyond the specified assembly instructions.
- Be aware of potential pinch points during assembly and operation.
- Always follow local laws and regulations regarding firearms.

Instructions for Installation and Usage

Assembly Instructions

1. Trigger Guard and Pistol Grip Installation

- Install the Enhanced Polymer Winter Trigger Guard using the roll pin and set screw (allen wrench not included).
- Attach the A2 Pistol Grip using the provided screw and lock washer.

2. Fire Control Group Installation

- Install the Hammer, Hammer Spring, Trigger, Trigger Spring, and Disconnector according to the provided schematic.
- Ensure that all components are seated properly and function smoothly.

3. Safety Selector Installation

- Insert the Safety Selector and secure it with the Selector Detent and spring.
- Confirm that the safety mechanism operates correctly.

4. Magazine Catch Assembly

- Install the Magazine Catch and Magazine Release Button.
- Secure with the Magazine Catch Spring.

5. Buffer Retainer Assembly

- Insert the Buffer Retainer and secure it with the Buffer Retainer Spring.

6. Bolt Catch Assembly

- Install the Bolt Catch, Bolt Catch Plunger, and Bolt Catch Spring.
- Ensure that the Bolt Catch operates smoothly.

7. Take Down/Pivot Pin Assembly

- Install the Takedown Pin Detent and spring.
- Insert the Takedown Pin and Pivot Pin.

General Usage Instructions

- After assembly, perform a function check to ensure all components operate correctly.
- Familiarize yourself with the operation of your assembled firearm before using it.
- Always follow safe handling practices when using the firearm.

Disposal Instructions

- Dispose of any unused or damaged parts in accordance with local regulations.
- Ensure that all components are rendered inoperable before disposal.
- Consider recycling materials where possible.

Contact Information for Further Support

For inquiries regarding safety or product issues, please refer to the designated EU contact point for assistance.

By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your KE Arms AR15 GI Lower Parts Kit. Thank you for your commitment to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at