

BUIS FOLDING REAR SIGHTS - BUIS FOLDING REAR SIGHT DDC

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Whether running them as your primary aiming system or relying on them as a back-up in case your main optic goes down, the Geissele Folding Sights will give you the performance you need and expect from a product designed and manufactured from the ground up in our facility located in North Wales, PA. The Geissele Folding Sights are made from 6061-T6 aluminum and are Type 3 hard coat anodized to ensure extreme durability. For optimal aiming precision, our sights can be adjusted at $\frac{1}{2}$ " increments at 100 yards. The adjustments for the front and rear sights are captive to ensure that once sighted-in, there won't be any adjustments not intended by the user. There are no buttons or mechanisms to accidentally bump that will activate or fold down your sights when you least expect it, simply move them up to lock into position, or apply sideward pressure to the vertical tower to lock them down. The peep aperture is .072" and the front post measures .080". These sights are accurate enough for precision use during competition, and rugged enough for duty and personal defense use. HEIGHT (deployed, from top of pic rail): 1.60" HEIGHT (folded, from top of pic rail): 0.52" LENGTH: 2.46" WEIGHT: 1.56oz PEEP APERTURE: 0.72"



Attributes

- Name: [BUIS FOLDING REAR SIGHT DDC](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100040936
- Mfr. No.: 05879S
- Color: DDC
- Make: AR-15
- Sight Color: Black
- Style: Folding
- Delivery weight: 0.05kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 817953027653

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for BUIS Folding Rear Sights
- About Us

Safety Instruction Guide for BUIS Folding Rear Sights

Introduction

Thank you for choosing the BUIS Folding Rear Sights by Geissele Automatics. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your new product. Please read and follow these instructions carefully to maximize safety and performance.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a sighting device for firearms.
- Always follow the safety rules and regulations applicable to firearms and shooting sports.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sights for wear or damage before each use.
- Report any unsafe conditions or incidents to the appropriate authorities immediately.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not attempt to modify or disassemble the sights.
- Always ensure that the firearm is unloaded when installing or adjusting the sights.
- Use the sights only with compatible firearms to prevent accidents.
- Be mindful of your surroundings and ensure a safe shooting environment.
- Avoid using the sights in extreme weather conditions that may affect performance.
- Ensure that the sights are properly secured in the deployed position before use.

Instructions for Installation and Usage

Installation

1. **Prepare the Firearm:** Ensure that the firearm is unloaded and in a safe condition.
2. **Select Mounting Location:** Choose a suitable position on the picatinny rail for the BUIS Folding Rear Sight.
3. **Attach the Sight:**
 - Align the sight with the chosen rail slot.
 - Secure the sight using the provided mounting hardware.
 - Tighten the screws firmly, but do not overtighten to avoid damaging the rail.
4. **Check Stability:** Once installed, gently shake the sight to ensure it is secure.

Usage

1. **Deploying the Sight:**
 - To deploy, simply lift the sight up until it locks into position.
 - Ensure it is fully locked before aiming.
2. **Adjusting the Sight:**
 - Adjust the sight for elevation and windage in $\frac{1}{2}$ inch increments at 100 yards.
 - Make sure the adjustments are captive and will not change unintentionally.
3. **Folding the Sight:**
 - To fold down, apply sideward pressure to the vertical tower.
 - Ensure the sight is fully folded and locked to prevent accidental deployment.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local authorities for proper disposal methods for aluminum and other materials.

Contact Information for Further Support

For any safety inquiries or further support, please contact the manufacturer directly through the provided customer service channels.

By following these guidelines, you can ensure the safe and effective use of your BUIS Folding Rear Sights. Thank you for your attention to safety and enjoy your shooting experience!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at