

BUIS FOLDING SIGHT SETS - GEISSELE AUTOMATICS BUIS FOLDING SIGHT SET BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

Whether running them as your primary aiming system or relying on them as a back-up in case your main optic goes down, the Geissele Folding Sights will give you the performance you need and expect from a product designed and manufactured from the ground up in our facility located in North Wales, PA.

The Geissele Folding Sights are made from 6061-T6 aluminum and are Type 3 hard coat anodized to ensure extreme durability. For optimal aiming precision, our sights can be adjusted at $\frac{1}{2}$ " increments at 100 yards. The adjustments for the front and rear sights are captive to ensure that once sighted-in, there won't be any adjustments not intended by the user. There are no buttons or mechanisms to accidentally bump that will activate or fold down your sights when you least expect it, simply move them up to lock into position, or apply sideward pressure to the vertical tower to lock them down. The peep aperture is .100" and the front post measures .080". These sights are accurate enough for precision use during competition, and rugged enough for duty and personal defense use. Front Sight Specs: HEIGHT (deployed, from top of pic rail): 1.47" HEIGHT (folded, from top of pic rail): 0.49" LENGTH: 2.33" WEIGHT: 1.33oz FRONT POST: .080" Rear Sight Specs: HEIGHT (deployed, from top of pic rail): 1.60" HEIGHT (folded, from top of pic rail): 0.52" LENGTH: 2.46" WEIGHT: 1.56oz PEEP APERTURE: 0.100"



Attributes

- Name: [GEISSELE AUTOMATICS BUIS FOLDING SIGHT SET BLACK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100040937
- Mfr. No.: 05-1154B
- Colour: Black
- Style: Folding
- Weapon type: AR-15
- Delivery weight: 0.603kg
- Shipping height: 37mm
- Shipping width: 12mm
- Shipping length: 59mm
- UPC: 817953028100

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Geissele Automatics BUIS Folding Sight Sets
- About Us

Safety Instruction Guide for Geissele Automatics BUIS Folding Sight Sets

Introduction

Thank you for choosing the Geissele Automatics BUIS Folding Sight Sets. This guide provides essential safety instructions and usage information to ensure safe and effective operation of your sights. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only as intended.
- Always inspect the sights before each use for any signs of damage or wear.
- Keep the product out of reach of children and unauthorized users.
- Do not modify the sights in any way that could affect their performance or safety.
- Use only compatible accessories and components to avoid potential hazards.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the sights are securely mounted to the firearm before use.
- Do not attempt to adjust the sights while the firearm is loaded.
- Make sure the firearm is pointed in a safe direction when making adjustments.
- Be aware of your surroundings and ensure that your line of sight is clear before aiming.
- If you experience any malfunction or difficulty with the sights, cease use immediately and consult a qualified professional.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure your firearm is unloaded and pointed in a safe direction.
2. **Mounting the Front Sight:**
 - Locate the front sight mounting area on your firearm.
 - Align the front sight with the mounting rail and secure it using the provided hardware.
3. **Mounting the Rear Sight:**
 - Locate the rear sight mounting area on your firearm.
 - Align the rear sight with the mounting rail and secure it using the provided hardware.
4. **Check Alignment:** Verify that both sights are aligned properly and securely fastened.

Usage

1. **Deploying the Sights:**
 - To deploy the sights, simply move them up from the folded position until they lock into place.
2. **Adjusting the Sights:**
 - Use the captive adjustment mechanisms to make elevation and windage adjustments as needed.
 - Adjust sights in $\frac{1}{2}$ " increments at 100 yards for optimal aiming precision.
3. **Folding the Sights:**
 - To fold the sights down, apply sideward pressure to the vertical tower and push down gently until they lock in the folded position.
4. **Maintenance:**
 - Regularly clean the sights with a soft cloth to remove dirt and debris.
 - Inspect for any signs of wear or damage and replace if necessary.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Geissele Automatics BUIS Folding Sight Sets, please reach out to the designated EU contact point listed on the product packaging or documentation.

Conclusion

Your safety is our priority. By following these guidelines, you can ensure the safe and effective use of your Geissele Automatics BUIS Folding Sight Sets. Thank you for choosing our product, and we wish you success in your shooting endeavors.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk