

AR-15 MK16 SUPER MODULAR RAILS M-LOK - GEISSELE AUTOMATICS MK16 SM RAIL 9.3" M-LOK FOR AR-15 BLK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Super Modular Rail 13.5" (SMR) MK16 M-LOK®, NSN# 1005-01-672-4794 (13.5"), has been adopted by USASOC for the URG-I program (Upper Receiver Group Improved). The Geissele Super Modular Rail MK16 offers unmatched performance for the most demanding shooters. Mounted to your AR-15 upper using the updated version of the proven Geissele Barrel Nut design, the MK16 is not only easy to install and maintain but offers superior rigidity. Anti-rotation tabs and set-screws ensure that your rail will won't rotate, even under the most extreme conditions of use. M1913 picatinny rail on top and M-LOK™ slots on every quadrant ensures maximum customization for all your accessories. The Geissele SMR MK16 is precision machined using 6061-T6 Aluminum due to its strong, rigid, and light properties, and is finished in durable Type-3 Hardcoat anodized. A 9.3" variant of the MK16 is also available for users requiring a shorter platform. HEIGHT: 2.39" COLOR: Black or DDC MATERIAL: 6061-T6 FINISH: Type 3 Hardcoat Anodize AVAILABLE LENGTHS: 9.3" or 13.5" INNER DIAMETER: 1.26" OUTER DIAMETER (DAQ*): 1.59" SMR MK16 9.3" WEIGHT: 10.1oz (11.74oz w/ barrel nut) SMR MK16 13.5" WEIGHT: 13.4oz (14.9oz w/ barrel nut)



Attributes

- Name: [GEISSELE AUTOMATICS MK16 SM RAIL 9.3" M-LOK FOR AR-15 BLK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100041110
- Mfr. No.: 05-651B
- Colour: Black
- Length: 9.3
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR-15
- Delivery weight: 0.499kg
- Shipping height: 114mm
- Shipping width: 108mm
- Shipping length: 324mm
- UPC: 817953027127

Item details

Made in USA
US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 MK16 Super Modular Rails MLOK
- About Us

Safety Instruction Guide for AR15 MK16 Super Modular Rails MLOK

Introduction

Thank you for choosing the AR15 MK16 Super Modular Rails MLOK from Geissele Automatics. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this document carefully to understand how to handle the rail system safely and effectively.

General Safety Guidelines

- Always follow the manufacturer's instructions for installation and usage.
- Inspect the product before each use to ensure it is free from defects or damage.
- Do not modify the rail system or any components without consulting the manufacturer.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product in a safe environment, away from hazardous conditions.
- In case of any accidents or unsafe product performance, report to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the rail system is securely attached to the upper receiver of your AR15 before use.
- Verify that all setscrews and antirotation tabs are properly tightened to prevent movement during use.
- Avoid using the rail system in extreme conditions unless it is specifically designed for such use.
- Do not exceed the weight limit for accessories mounted on the rail system.
- Regularly check for wear and tear on the rail and accessories to prevent accidents.

Instructions for Installation and Usage

Installation Steps

1. Preparation:

- Gather all necessary tools, including a torque wrench, and ensure you have a clean workspace.
- Read the installation manual provided by the manufacturer.

2. Remove Existing Rail:

- If applicable, remove any existing rail system from your AR15 upper receiver.

3. Install the Geissele Barrel Nut:

- Follow the manufacturer's instructions to install the updated Geissele Barrel Nut securely.

4. Attach the MK16 Rail:

- Align the MK16 rail with the barrel nut and slide it into position.
- Ensure that the antirotation tabs fit properly into the designated slots on the upper receiver.

5. Secure the Rail:

- Use the provided setscrews to secure the rail in place.
- Tighten the screws to the recommended torque specifications using a torque wrench.

6. Final Check:

- Inspect the installation to ensure that the rail is securely attached and does not rotate.

Usage Instructions

- When mounting accessories, ensure that they are compatible with the MLOK system.
- Distribute the weight of accessories evenly across the rail to avoid undue stress.
- Regularly clean the rail and inspect for any signs of damage or wear.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- If the product is damaged beyond repair, contact a recycling center that accepts aluminum materials.

Contact Information for Further Support

For inquiries regarding safety, installation, or product performance, please refer to the manufacturer's customer support resources. Ensure you have your product details on hand for efficient assistance.

By following these safety instructions, you can ensure the optimal performance and longevity of your AR15 MK16 Super Modular Rails MLOK. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk