

# AR .308 COMBAT RAIL HANDGUARDS M-LOK - MIDWEST INDUSTRIES AR 308 12.625" COMBAT RAIL HANDGUARD DPMS HIGH M-LOK BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

## A Dedicated DPMS-Compatible AR .308 Handguard

Looking to take your DPMS-pattern AR .308 rifle to the next level? This enhanced Combat Rail M-LOK Handguard from Midwest Industries is purpose-built to provide added versatility and durability to your rifle, and it looks great, to boot! Each Midwest Industries AR .308 Combat Rail Handguard is machined from 6061 aluminum and treated with a hardcoat-anodized black finish. The handguard comes with a torque plate made from 4140 steel, along with an aluminum anti-rotation block. The handguard features five separate anti-rotation quick-detach sling socket points, as well as three sides of M-LOK-compatible rail slots. A single five-slot rail is included with the handguard. Designed for use on DPMS High or Low receivers, the Midwest Industries AR .308 Combat Rail Handguard will fit on receivers with a .210-inch tang height. The free-float design is available in 12.625- and 15-inch lengths and features a width of 1.75 inches and a height of 2.187 inches. The unit attaches with a heat-treated, 4140-steel barrel nut with 1 7/16-16 TPI threads. A barrel nut wrench is included for installation.



## Attributes

- Name: [MIDWEST INDUSTRIES AR 308 12.625" COMBAT RAIL HANDGUARD DPMS HIGH M-LOK BLACK](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100041114
- Mfr. No.: MI-CR308-12.625
- Colour: Black
- Length: 12.625
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR .308
- Delivery weight: 0.658kg
- Shipping height: 102mm
- Shipping width: 76mm
- Shipping length: 356mm
- UPC: 812102033172

## Item details

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for AR .308 Combat Rail Handguards
- About Us

# Safety Instruction Guide for AR .308 Combat Rail Handguards

## Introduction

Thank you for choosing the AR .308 Combat Rail Handguards from Midwest Industries. This guide provides essential safety information and instructions for the proper use and installation of your handguard. Please read this document carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure the product is suitable for your specific AR .308 rifle model before installation.
- Always wear appropriate safety gear, such as eye protection, when handling firearms and related accessories.
- Keep the handguard and all components out of reach of children and unauthorized users.
- Regularly inspect the handguard for signs of wear, damage, or corrosion. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and accessories.

## Specific Safety Precautions for Use

- **Installation Safety:** Always use the provided barrel nut wrench to ensure proper installation. Failure to do so may result in improper attachment and potential injury.
- **Sling Attachment:** When using the quickdetach sling socket points, ensure that attachments are secure to prevent accidental detachment during use.
- **Weight Limit:** Be mindful of the weight of accessories mounted on the handguard. Excessive weight may affect balance and control of the firearm.
- **Heat Management:** The handguard may heat up during use. Allow adequate cooling time before handling after extended firing sessions.
- **Compatibility Check:** Confirm that your receiver has a .210inch tang height for proper fitment of the handguard.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including the barrel nut wrench.
- Ensure the firearm is unloaded and in a safe condition before beginning installation.

### 2. Installation Steps:

- Remove the existing handguard from your AR .308 rifle.
- Install the heat treated 4140 steel barrel nut onto the receiver, tightening to the manufacturer's specifications using the barrel nut wrench.
- Align the handguard with the barrel nut and slide it into position.
- Secure the handguard using the torque plate and antirotation block provided.
- Verify that the handguard is securely attached and does not move when pulled.

### 3. Usage:

- Attach accessories using the MLOK compatible rail slots as needed.
- Ensure all attachments are securely fastened before use.
- Regularly check for tightness of all components during use.

## **Disposal Instructions**

- Dispose of the handguard and any components in accordance with local regulations.
- Recycle materials when possible, such as aluminum and steel.

## **Contact Information for Further Support**

For any questions or concerns regarding the AR .308 Combat Rail Handguards, please refer to the manufacturer's contact information provided with your product. It is important to have access to support for any safety inquiries or product issues.

## **Conclusion**

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR .308 Combat Rail Handguards. Always prioritize safety and compliance with local laws when using firearm accessories. Thank you for your purchase, and enjoy your enhanced shooting experience!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)