

AR-15 TWO-CHAMBER MUZZLE BRAKE - MIDWEST INDUSTRIES

AR-15 TWO CHAMBER MUZZLE BRAKE BLACK 1/2-28

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Large two chamber design reduces muzzle climb Constructed from tool steel with a phosphate finish 1/2-28 threads for 5.56/.223 rifles Includes new crush washer 100% made in the U.S.A. Lifetime Warranty Weight 3oz



Attributes

- Name: [MIDWEST INDUSTRIES AR-15 TWO CHAMBER MUZZLE BRAKE BLACK 1/2-28](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100041143
- Mfr. No.: MI-MB4
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Material: Steel
- Threads: 1/2-28
- Weapon type: AR-15
- Delivery weight: 0.107kg
- Shipping height: 25mm
- Shipping width: 108mm
- Shipping length: 140mm
- UPC: 816537018704

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 TwoChamber Muzzle Brake
- About Us

Safety Instruction Guide for AR15 TwoChamber Muzzle Brake

Introduction

Thank you for choosing the AR15 TwoChamber Muzzle Brake by Midwest Industries. This guide provides essential safety information and instructions for the proper use and installation of this product. Please read this guide carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure that the muzzle brake is compatible with your firearm before installation.
- Always handle firearms with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Do not use the muzzle brake if it appears damaged or defective.
- Regularly inspect the muzzle brake for wear and tear.
- Always wear appropriate eye protection when using firearms equipped with this muzzle brake.
- Report any unsafe products or accidents to local authorities.

Specific Safety Precautions for Use

- Only use the muzzle brake with firearms chambered for .223 or 5.56 caliber.
- Ensure that the firearm is unloaded before installation or maintenance of the muzzle brake.
- Follow the manufacturer's instructions for installation to avoid improper fitting.
- Avoid using excessive force when tightening the muzzle brake to prevent damage.
- Be aware of your surroundings and ensure a safe shooting environment when using firearms.
- If you experience excessive recoil or unusual behavior during use, cease operation immediately and inspect the product.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a wrench and the included crush washer.

2. Installation Steps:

- Remove the existing muzzle device from your firearm, if applicable.
- Clean the muzzle threads to ensure proper fitting.
- Place the crush washer onto the muzzle threads.
- Screw the muzzle brake onto the muzzle, aligning the threads carefully.
- Tighten the muzzle brake using a wrench. Do not overtighten; ensure it is secure but not excessively tight.

3. Usage:

- Once installed, the muzzle brake is designed to reduce muzzle climb during firing.
- Always follow safe shooting practices and be aware of the increased noise level associated with muzzle brakes.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal waste.
- Do not dispose of the muzzle brake in household waste.
- If the product is damaged or no longer usable, contact local waste management services for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please refer to the official Midwest Industries website or contact your local authorized dealer.

By following these guidelines, you can ensure a safe and enjoyable experience with your AR15 TwoChamber Muzzle Brake. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk