

# M-LOK TO SLING STUD ADAPTER - GROVTEC US M-LOK TO SLING STUD ADAPTER FLANGED BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Sling Swivel Studs](#)

Flanged Stud Mount M-Lok is constructed of 6061 Aluminum. Type III Hard Anodize Finish. Steel stud with Black Oxide Finish. M-Lok Mount system. Hardware is included. Fits Locking Swivels.



## Attributes

- Name: [GROVTEC US M-LOK TO SLING STUD ADAPTER FLANGED BLACK](#)
- Manufacturer: [GROVTEC US](#)
- Product no.: 100041555
- Mfr. No.: GTSW112
- Delivery weight: 0.041kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 811071013130

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [MLOK TO SLING STUD ADAPTER SAFETY INSTRUCTIONS](#)
- [About Us](#)

# MLOK TO SLING STUD ADAPTER SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the MLOK TO SLING STUD ADAPTER by GROVTEC US. This product is designed to enhance your firearm's versatility and functionality. To ensure safe and effective use, please carefully read and follow these safety instructions.

## General Safety Guidelines

- Always handle your firearm and accessories with care.
- Ensure the product is suitable for your specific firearm model.
- Regularly inspect the adapter for any signs of wear or damage before use.
- Store the product in a safe place, out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories.

## Specific Safety Precautions for Use

- Do not exceed the weight limit of the sling stud adapter.
- Ensure the sling is securely attached to prevent accidental detachment during use.
- Avoid using the adapter for purposes other than its intended use.
- Do not modify the adapter in any way, as this may compromise safety.
- Always use the product in a safe environment, away from hazards.

## Instructions for Installation and Usage

### 1. Installation

- Ensure that your firearm is unloaded before beginning installation.
- Locate the MLOK slots on your firearm.
- Align the MLOK TO SLING STUD ADAPTER with the desired slot.
- Insert the adapter into the slot and secure it using the included hardware.
- Tighten the hardware firmly, but do not overtighten to avoid damaging the firearm.

### 2. Usage

- Attach your locking swivel to the sling stud adapter.
- Ensure that the swivel is securely locked in place before use.
- Regularly check the connection during use to ensure it remains secure.

## Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling materials where applicable.

## Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the manufacturer's website or customer service for assistance. Ensure you have the product details available for reference.

Thank you for your attention to these safety instructions. Your safety is our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)