

PRECISION PICATINNY ALUMINUM SCOPE RINGS - 34MM (0.944") LOW RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

New for 2020, Athlon Precision Rings are made in the USA from High Strength Aluminum Alloy. Designed for precision rifles including magnum calibers.



Attributes

- Name: [34MM \(0.944"\) LOW RINGS](#)
- Manufacturer: [ATHLON OPTICS](#)
- Product no.: 100042218
- Mfr. No.: 701005
- Finish: Black
- Height: 0.944"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Size: Low
- Style: Picatinny Rings
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 813869022034

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Athlon Precision Picatinny Aluminum Scope Rings 34MM (0.944") Low Rings
- About Us

Safety Instruction Guide for Athlon Precision Picatinny Aluminum Scope Rings 34MM (0.944") Low Rings

Introduction

Thank you for choosing the Athlon Precision Picatinny Aluminum Scope Rings. These rings are designed for precision rifles, including magnum calibers, and are crafted from highstrength aluminum alloy in the USA. This guide provides important safety information to ensure safe use and installation of the product in compliance with EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to securely mount a scope onto a rifle.
- Always inspect the scope rings for any damage or defects before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limit for the scope and accessories mounted on the rings.
- Ensure that the scope rings are compatible with your rifle's Picatinny rail system.
- Always tighten the mounting screws to the manufacturer's specifications to prevent the scope from shifting during use.
- Avoid exposing the scope rings to extreme temperatures or harsh environmental conditions, as this may affect their integrity.
- If you notice any signs of wear or damage, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure the rifle is unloaded and pointed in a safe direction during installation.

2. Installation Steps

- Place the scope rings onto the Picatinny rail of your rifle at the desired position.
- Align the rings with the scope tube diameter (34mm) for a proper fit.
- Insert and handtighten the mounting screws into the rings.
- Use a torque wrench to tighten the screws to the manufacturer's recommended torque settings.

3. Scope Mounting

- Carefully place the scope into the rings, ensuring it is level and aligned with the rifle.
- Tighten the top screws of the scope rings using the torque wrench to secure the scope in place.

4. Final Check

- Once installed, doublecheck all screws for tightness.

- Perform a function check to ensure the scope is securely mounted and operates correctly.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal recycling.
- Ensure that any packaging materials are recycled or disposed of responsibly.

Contact Information for Further Support

For any inquiries or concerns regarding the product, please refer to the manufacturer's contact details provided on the packaging or visit the official website.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at