

CONDITION ONE MICRO SIGHT ADAPTERS - BADGER ORDNANCE MICRO SIGHT MOUNT FOR AIMPOINT ACRO TAN

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Add a Micro Reflex Sight to Your Badger Mount

The Badger Ordnance Condition One Modular Mount is designed to provide rifle owners with a centralized mounting location for their optics and accessories. The addition of the company's C.O.M.M. Micro Sight Adapter allows users to mount many of today's popular reflex optics. Mounts are available in black or tan finishes and are sized to fit the Aimpoint T1/T2, Leupold DeltaPoint Pro or the Trijicon RMR. Each mount is machined from a single piece of aluminum for durability and strength.



Attributes

- Name: [BADGER ORDNANCE MICRO SIGHT MOUNT FOR AIMPOINT ACRO TAN](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 100042713
- Mfr. No.: 200-16
- Colour: Tan
- Material: Aluminum
- Number of Bases: 1-Piece
- Style: Adapter Bases
- Delivery weight: 0.041kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 83mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for the Badger Ordnance Condition One Micro Sight Adapter
- About Us

Safety Instruction Guide for the Badger Ordnance Condition One Micro Sight Adapter

Introduction

Thank you for choosing the Badger Ordnance Condition One Micro Sight Adapter. This guide provides important safety information and instructions for the proper use and maintenance of the product. Please read this guide carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always inspect the product for any signs of damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the Micro Sight Adapter with compatible optics, including Aimpoint T1/T2, Leupold DeltaPoint Pro, or Trijicon RMR.
- Do not exceed the manufacturer's specified weight limit for mounted optics.
- Ensure the mount is securely attached before use to prevent detachment during operation.
- Avoid using the product in extreme weather conditions that may affect its integrity.
- Regularly check for any loose screws or components and tighten as necessary.

Instructions for Installation and Usage

1. Installation

- Begin by ensuring that your firearm is unloaded and in a safe condition.
- Remove any existing sights or mounts from the firearm.
- Align the Micro Sight Adapter with the mounting location on your firearm.
- Secure the adapter using the provided screws, ensuring they are tightened to the manufacturer's specifications.
- Attach your compatible optic to the Micro Sight Adapter, following the optic's specific installation instructions.

2. Usage

- After installation, conduct a function check to ensure the optic is securely mounted.
- Always use the firearm in a safe and responsible manner, following all local laws and regulations.
- Regularly clean and maintain the Micro Sight Adapter and optic to ensure optimal performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and materials.
- If the product is damaged beyond repair, consider recycling the aluminum components where possible.

Contact Information for Further Support

For any inquiries or further support regarding the Badger Ordnance Condition One Micro Sight Adapter, please

refer to the manufacturer's contact details provided on the packaging or the official website.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on the proper use of this product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk