

TDX GAS MANIFOLD - BADGER ORDNANCE TDX GAS MANIFOLD .750 BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Badger Ordnance TDX Gas Manifold is our smallest manifold and will fit under any free float handguard. Machined from 416 Stainless Steel and secures with 2 Stainless set screws.



Attributes

- Name: [BADGER ORDNANCE TDX GAS MANIFOLD .750 BLACK](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 100042739
- Mfr. No.: 249-69
- Inside Diameter: .750
- Material: Stainless Steel
- Style: Low Profile
- Delivery weight: 0.05kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 83mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for TDX Gas Manifold Badger Ordnance
- About Us

Safety Instruction Guide for TDX Gas Manifold

Badger Ordnance

Introduction

Thank you for choosing the TDX Gas Manifold by Badger Ordnance. This product is designed to provide reliable performance and safety when used correctly. This guide contains essential safety instructions and information to ensure proper use and maintenance of the gas manifold.

General Safety Guidelines

To ensure safe usage of the TDX Gas Manifold, please adhere to the following guidelines:

- Always read and understand the product manual before use.
- Ensure that the product is suitable for your specific application.
- Use the product only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the manifold for any signs of wear or damage.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

When using the TDX Gas Manifold, please follow these specific safety precautions:

- Ensure that the manifold is installed and secured properly before use.
- Avoid overtightening the set screws to prevent damage to the manifold.
- Do not modify the product in any way, as this can compromise safety.
- Use appropriate personal protective equipment (PPE) during installation and operation.
- Be aware of hot surfaces during and after use, as the manifold can become heated.

Instructions for Installation and Usage

Follow these instructions carefully to ensure safe installation and operation of the TDX Gas Manifold:

1. Preparation:

- Gather all necessary tools and materials before starting the installation.
- Ensure the firearm is unloaded and in a safe condition.

2. Installation:

- Locate the area under the free float handguard where the manifold will be installed.
- Align the manifold with the gas port on the barrel.
- Secure the manifold using the provided stainless set screws. Ensure they are tightened but do not overtighten.

3. Usage:

- After installation, check that the manifold is securely in place.
- Test the firearm in a safe environment to ensure proper functionality.
- Monitor the manifold for any signs of leakage or malfunction during use.

Disposal Instructions

Proper disposal of the TDX Gas Manifold is important for environmental safety. When the product has reached the end of its life:

- Do not dispose of the product in regular household waste.
- Check local regulations for proper disposal methods for metal products.
- Consider recycling the stainless steel components if possible.

Contact Information for Further Support

For safety inquiries or further support regarding the TDX Gas Manifold, please refer to the manufacturer's contact information provided in the product packaging or visit the official website.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and effective experience with your TDX Gas Manifold.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk