

CONDITION ONE 12 O'CLOCK TOP OPTICAL PLATFORM - BADGER ORDNANCE C1 12 O'CLOCK TOP OPTICAL PLATFORM FOR TRIJICON RMR BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

The Badger Condition One 12 O'Clock Top Optical Platform is designed to integrate a Leupold Delta Point Pro or Trijicon RMR to the 12 O'Clock position of the Condition One mounts, giving the end user a top mounted Red Dot. Made from 6061 T6 Aluminum Type III Hardcoat Anodized. Weight .5oz.



Attributes

- Name: [BADGER ORDNANCE C1 12 O'CLOCK TOP OPTICAL PLATFORM FOR TRIJICON RMR BLACK](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 100042765
- Mfr. No.: 700-13B
- Colour: Black
- Delivery weight: 0.027kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 83mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [CONDITION ONE 12 O'CLOCK TOP OPTICAL PLATFORM SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

CONDITION ONE 12 O'CLOCK TOP OPTICAL PLATFORM SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the Badger Condition One 12 O'Clock Top Optical Platform. This product is designed to enhance your shooting experience by allowing the integration of a Leupold Delta Point Pro or Trijicon RMR to the 12 O'Clock position of the Condition One mounts. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always ensure that the product is installed correctly to avoid accidents.
- Regularly inspect the optical platform for any signs of damage or wear.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product conditions or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Ensure the mounting surface is clean and free of debris before installation.
 - Use only the recommended tools for installation to prevent damage.
- **Operational Safety:**
 - Always check that the optical platform is securely mounted before use.
 - Avoid using the product in extreme weather conditions that may affect its performance.
- **Maintenance Safety:**
 - Do not use harsh chemicals or solvents for cleaning the product.
 - Regularly check the mounting screws for tightness and retighten as necessary.

Instructions for Installation and Usage

1. Installation:

- Gather the necessary tools: a screwdriver and any other recommended tools.
- Ensure that the Condition One mount is securely attached to your firearm.
- Align the optical platform with the 12 O'Clock position on the mount.
- Secure the optical platform using the provided screws, ensuring they are tightened but not overtorqued to avoid damage.

2. Usage:

- Once installed, ensure that the optical sight (Leupold Delta Point Pro or Trijicon RMR) is properly mounted on the platform.
- Before using the firearm, check that the sight is functioning correctly and is properly zeroed.
- Always handle the firearm safely and follow all firearm safety guidelines.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and metal recycling.
- Ensure that any damaged parts are disposed of safely to prevent injury.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the Badger Condition One 12 O'Clock Top Optical Platform, please refer to the contact information provided with your product documentation.

By following these safety instructions, you can ensure the safe use of your Badger Condition One 12 O'Clock Top Optical Platform. Thank you for your attention to safety and enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk