

CONDITION ONE ARC SPACER BLOCK - BADGER ORDNANCE

CONDITION ONE ARC SPACER BLOCK .250" TAN

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

The Condition One ARC Spacer Block allows the end user to raise any C1 ARC compatible accessory .250". This will allow extra clearance for taller elevation turrets found on some optics. Made from 6061 T-6 aluminum Type III Hardcoat Anodized Black or Tan. Weight .5oz.



Attributes

- Name: [BADGER ORDNANCE CONDITION ONE ARC SPACER BLOCK .250" TAN](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 100042766
- Mfr. No.: 700-15
- Colour: Tan
- Delivery weight: 0.049kg
- Shipping height: 32mm
- Shipping width: 108mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Condition One ARC Spacer Block Safety Instructions](#)
- [About Us](#)

Condition One ARC Spacer Block Safety Instructions

Introduction

Thank you for choosing the Condition One ARC Spacer Block. This product is designed to enhance the compatibility of C1 ARC accessories by providing an elevation of .250 inches. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the product before use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- In case of any malfunction or damage, cease use immediately and refer to the appropriate support channels.
- Stay informed about product recalls by checking the EU Safety Gate platform regularly.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limit of .5 oz for the spacer block.
- Ensure that the spacer block is securely attached to the accessory before use.
- Avoid using the spacer block in extreme weather conditions that may affect its performance.
- Do not modify the spacer block or use it in a manner that is not recommended by the manufacturer.
- If you experience any difficulty during installation or usage, consult the installation instructions or seek assistance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools before starting the installation.
- Ensure that the area is clean and free from debris.

2. Installation Steps:

- Remove the C1 ARC compatible accessory from your equipment.
- Align the Condition One ARC Spacer Block with the mounting point of the accessory.
- Securely attach the spacer block using the appropriate screws or fasteners, ensuring it is tightly fitted.
- Reattach the accessory to your equipment, ensuring it is stable and secure.

3. Usage:

- After installation, check the alignment and stability of the accessory.
- Use the equipment as intended, ensuring that the spacer block is functioning correctly.
- Regularly inspect the spacer block during use for any signs of wear or damage.

Disposal Instructions

- Dispose of the Condition One ARC Spacer Block in accordance with local regulations.
- If the product is damaged or no longer usable, ensure it is disposed of in a way that does not pose a risk to the environment.

- Consider recycling the product if possible, as it is made from aluminum.

Contact Information for Further Support

For further assistance or inquiries regarding the Condition One ARC Spacer Block, please refer to the manufacturer's website or customer service contact.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk