

# CONDITION ONE COAXIAL LASER INTEGRATION FIXTURE - BADGER ORDNANCE C1 COAXIAL LASER INTEGRATION FIXTURE 12 SLOT RAIL BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The CLIF is designed to integrate the next generation of weapons-mounted Laser Range Finders to the Badger C1 series of Unimounts via the C1 ARC. The C1 CLIF is designed to be attached/detached without the removal of the C1 Ring cap to maintain zero of the primary optic. The C1 CLIF comes in two variants Short or Long. 7075 T6 Aluminum, Mil Spec Type III Hardcoat Anodized, black or tan. Short: 9 slots Length: 3.945" / Height from center of optic: 2.04" 1.8 oz. Long: 12 slots Length: 4.92" / Height from center of optic: 2.29" 2.3 oz.



## Attributes

- Name: [BADGER ORDNANCE C1 COAXIAL LASER INTEGRATION FIXTURE 12 SLOT RAIL BLACK](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 100042771
- Mfr. No.: 70021B
- Finish: Black
- Style: Picatinny
- Delivery weight: 0.118kg
- Shipping height: 64mm
- Shipping width: 64mm
- Shipping length: 171mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for CONDITION ONE COAXIAL LASER INTEGRATION FIXTURE](#)
- [About Us](#)

# Safety Instruction Guide for CONDITION ONE COAXIAL LASER INTEGRATION FIXTURE

## Introduction

Thank you for choosing the CONDITION ONE COAXIAL LASER INTEGRATION FIXTURE (CLIF) from Badger Ordnance. This guide provides essential safety information to ensure the safe use and installation of your product. Please read this guide carefully before using the CLIF to understand the necessary precautions and procedures.

## General Safety Guidelines

- Ensure that the CLIF is used only for its intended purpose, which is to integrate with weaponsmounted Laser Range Finders.
- Always follow the manufacturer's instructions for installation and use.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the CLIF for any signs of damage or wear. If any issues are detected, discontinue use immediately.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls or safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Do not attempt to modify or alter the CLIF in any way, as this may compromise its safety and functionality.
- Ensure that the CLIF is securely attached to the weapon before use to prevent accidental detachment.
- Always check that the primary optic is properly aligned and secured before engaging in any activities with the CLIF.
- Avoid exposing the CLIF to extreme temperatures, moisture, or corrosive substances that could affect its performance.
- Use appropriate eye protection when handling or using the CLIF with a Laser Range Finder.

## Instructions for Installation and Usage

### Installation

1. Ensure that the weapon is unloaded and safe to handle before beginning installation.
2. Locate the C1 Ring cap on the Badger C1 series Unimount.
3. Align the CLIF with the C1 Ring cap and gently slide it into place.
4. Confirm that the CLIF is securely attached without the need for removing the C1 Ring cap.
5. Check that the primary optic maintains zero after installation.

### Usage

- To detach the CLIF, gently pull it away from the C1 Ring cap without disturbing the primary optic.
- Always verify that the CLIF is properly reattached before using the weapon.
- For optimal performance, consider the specific variant (Short or Long) that best suits your needs:
  - Short Variant: 9 slots, Length: 3.945", Height from center of optic: 2.04", Weight: 1.8 oz.
  - Long Variant: 12 slots, Length: 4.92", Height from center of optic: 2.29", Weight: 2.3 oz.

## Disposal Instructions

- Dispose of the CLIF in accordance with local regulations for electronic and metal waste.

- Do not dispose of the product in regular household waste.
- If the product is damaged beyond repair, ensure that it is recycled or disposed of in an environmentally responsible manner.

## **Contact Information for Further Support**

For any questions or concerns regarding the use of the CONDITION ONE COAXIAL LASER INTEGRATION FIXTURE, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Your safety is our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)