

AR-15 MK16 SUPER MODULAR RAILS M-LOK - GEISSELE AUTOMATICS MK16 SM RAIL 10.5" M-LOK FOR AR-15 DDC

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Super Modular Rail 13.5" (SMR) MK16 M-LOK®, NSN# 1005-01-672-4794 (13.5"), has been adopted by USASOC for the URG-I program (Upper Receiver Group Improved). The Geissele Super Modular Rail MK16 offers unmatched performance for the most demanding shooters. Mounted to your AR-15 upper using the updated version of the proven Geissele Barrel Nut design, the MK16 is not only easy to install and maintain but offers superior rigidity. Anti-rotation tabs and set-screws ensure that your rail will won't rotate, even under the most extreme conditions of use. M1913 picatinny rail on top and M-LOK™ slots on every quadrant ensures maximum customization for all your accessories. The Geissele SMR MK16 is precision machined using 6061-T6 Aluminum due to its strong, rigid, and light properties, and is finished in durable Type-3 Hardcoat anodized. A 9.3" variant of the MK16 is also available for users requiring a shorter platform. HEIGHT: 2.39" COLOR: Black or DDC MATERIAL: 6061-T6 FINISH: Type 3 Hardcoat Anodize AVAILABLE LENGTHS: 9.3" or 13.5" INNER DIAMETER: 1.26" OUTER DIAMETER (DAQ*): 1.59" SMR MK16 9.3" WEIGHT: 10.1oz (11.74oz w/ barrel nut) SMR MK16 13.5" WEIGHT: 13.4oz (14.9oz w/ barrel nut)



Attributes

- Name: [GEISSELE AUTOMATICS MK16 SM RAIL 10.5" M-LOK FOR AR-15 DDC](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100042821
- Mfr. No.: 05-1073S
- Colour: DDC
- Length: 10.5
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR-15
- Delivery weight: 0.522kg
- Shipping height: 108mm
- Shipping width: 108mm
- Shipping length: 318mm
- UPC: 817953028315

Item details

Made in USA
US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 MK16 Super Modular Rails MLOK
- About Us

Safety Instruction Guide for AR15 MK16 Super Modular Rails MLOK

Introduction

Thank you for choosing the AR15 MK16 Super Modular Rails MLOK by Geissele Automatics. This product is designed to enhance the performance and customization of your AR15. To ensure safe and effective use, please read this safety instruction guide carefully. It contains essential information regarding general safety guidelines, specific precautions, installation instructions, and disposal methods.

General Safety Guidelines

To ensure the safe use of the AR15 MK16 Super Modular Rails MLOK, please follow these guidelines:

- Always handle firearms with care and ensure they are unloaded when installing or maintaining accessories.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the rail for signs of wear or damage before each use.
- Be aware of your surroundings and ensure a safe environment when using firearms.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

When using the AR15 MK16 Super Modular Rails MLOK, it is crucial to observe the following safety precautions:

- Ensure that the rail is securely mounted to the upper receiver before use.
- Avoid overtightening the barrel nut, as this may lead to damage or malfunction.
- Do not exceed the weight limit of accessories mounted on the rail to maintain stability and safety.
- Use only compatible accessories with MLOK slots to ensure proper fit and function.
- Never use the rail with damaged or defective components.
- If you experience any issues during use, cease operation immediately and inspect the product.

Instructions for Installation and Usage

To ensure proper installation and safe use of the AR15 MK16 Super Modular Rails MLOK, follow these steps:

Installation Instructions

1. **Gather Tools:** Ensure you have the necessary tools, including a torque wrench and appropriate Allen keys.
2. **Prepare the Upper Receiver:** Ensure the AR15 upper receiver is clean and free of debris.
3. **Install the Barrel Nut:**
 - Align the barrel nut with the upper receiver.
 - Use a torque wrench to tighten the barrel nut according to the manufacturer's specifications.
4. **Attach the Rail:**
 - Slide the MK16 rail over the barrel nut.
 - Secure the rail using the antirotation tabs and setscrews provided.
 - Doublecheck the tightness of all screws to prevent movement.
5. **Inspect Installation:** Verify that the rail is securely attached and does not rotate or wobble.

Usage Instructions

- Customize your rail by attaching accessories using the MLOK slots.

- Ensure that all accessories are properly secured before use.
- Regularly check the tightness of accessories during use and after extended periods of operation.

Disposal Instructions

When it becomes necessary to dispose of the AR15 MK16 Super Modular Rails MLOK, please follow these guidelines:

- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for information on proper disposal methods.
- Ensure that any firearms components are disposed of in accordance with local laws and regulations.

Contact Information for Further Support

For any inquiries or support regarding the AR15 MK16 Super Modular Rails MLOK, please reach out to the designated contact point provided with your product packaging.

By adhering to these safety instructions, you can ensure a safe and enjoyable experience with your AR15 MK16 Super Modular Rails MLOK. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk