

REMINGTON 870 GEN II TELESCOPING HYDRAULIC RECOIL STOCK 12G - MESA TACTICAL PRODUCTS REM 870 GEN II TELESCOPING HYDRAULIC RECOIL STOCK 12G ONLY

[Shotgun Parts](#) > [Stock & Forend Parts](#) > [Buttstocks](#)

Use Mesa Tactical's collapsible stock kits and adapters to install AR-15 adjustable buttstocks and pistol grips onto the venerable Remington 870 and Mossberg 500/590 shotgun platforms for the ultimate in tactical shotgun configuration performance. Equipped with the Mesa Tactical stock adapter, the shotguns have an adjustable length-of-pull to perfectly fit to the shooter's stature or equipment, such as body armor; feature handling characteristics similar to the ubiquitous AR-15; are more compact for transport and storage; and are more controllable due to the pistol grip configuration. LEO® telescoping stock adapters, which feature a stock elevation about an inch lower than the High-tube adapters and so don't require sighting or aiming aids. These adapters are available in two types of kits, adapter kits or complete stock kits. The concept is simple: the shotgun stock is replaced by an adapter that mimics the stock attachment point of an AR-15 lower receiver. This adapter accepts an AR-15 receiver buffer tube. The AR-15 collapsible stock and pistol grip can then be reliably attached to the shotgun. Stock kits additionally include an M4 Carbine style telescoping buttstock assembly, an ERGO rubber overmolded pistol grip, a stamped steel stock wrench and a push-button sling swivel. A slip-on rubber butt pad for the M4 Carbine buttstock is available separately. All LEO adapters accept optional push-button sling swivels.



Attributes

- Name: [MESA TACTICAL PRODUCTS REM 870 GEN II TELESCOPING HYDRAULIC RECOIL STOCK 12G ONLY](#)
- Manufacturer: [MESA TACTICAL PRODUCTS](#)
- Product no.: 100042860
- Mfr. No.: 91170
- Colour: Black
- Features: Adjustable
- Gauge: 12 Gauge
- Material: Polymer
- Model: 870
- Weapon type: Remington
- Delivery weight: 1.352kg
- Shipping height: 89mm
- Shipping width: 267mm
- Shipping length: 318mm
- UPC: 878405005421

Item details

Made in USA

Table of Contents

- Startpage
- REMINGTON 870 GEN II TELESCOPING HYDRAULIC RECOIL STOCK 12G
- About Us

REMINGTON 870 GEN II TELESCOPING HYDRAULIC RECOIL STOCK 12G

Safety Instruction Guide

Introduction

Thank you for choosing the REMINGTON 870 GEN II TELESCOPING HYDRAULIC RECOIL STOCK 12G by Mesa Tactical Products. This product is designed to enhance your shotgun's performance while ensuring safety and comfort. Please read this safety instruction guide carefully to ensure proper usage and maintenance.

General Safety Guidelines

- Always treat the shotgun as if it is loaded.
- Keep the shotgun pointed in a safe direction at all times.
- Store the shotgun and its accessories in a secure location, out of reach of children.
- Ensure you are familiar with local laws and regulations regarding shotgun ownership and usage.
- Regularly inspect the shotgun and stock for any signs of wear or damage.
- Use only compatible AR15 accessories with this stock.
- Do not modify any components of the stock or shotgun without consulting a qualified gunsmith.

Specific Safety Precautions for Use

- Ensure the shotgun is unloaded before installing the stock.
- Always wear appropriate eye and ear protection when using the shotgun.
- Be aware of your surroundings and ensure a clear shooting area.
- Do not use the shotgun under the influence of alcohol or drugs.
- If you experience any malfunctions with the shotgun or stock, cease use immediately and consult a qualified technician.
- Avoid using the shotgun in adverse weather conditions that could affect handling or visibility.

Instructions for Installation and Usage

1. Installation of the Stock:

- Ensure the shotgun is unloaded and pointed in a safe direction.
- Remove the existing stock from the shotgun by unscrewing the stock bolt.
- Attach the Mesa Tactical adapter to the shotgun's receiver, aligning it with the stock attachment point.
- Secure the adapter using the provided screws and a suitable tool.
- Attach the AR15 receiver buffer tube to the adapter.
- Slide the collapsible stock onto the buffer tube and secure it as per the manufacturer's instructions.
- Attach the ERGO rubber overmolded pistol grip to the shotgun using the provided hardware.

2. Adjusting the Stock:

- To adjust the length of pull, press the adjustment button and slide the stock to the desired position.
- Ensure the stock is locked in place before use.

3. Using the Shotgun:

- Always check the shotgun's chamber to ensure it is clear before loading.
- Load the shotgun with the appropriate 12gauge ammunition.

- Aim safely at your target and follow all shooting safety protocols.

Disposal Instructions

- Dispose of the stock and any associated components in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for plastic and metal components where available.

Contact Information for Further Support

For any safety inquiries or product support, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your REMINGTON 870 GEN II TELESCOPING HYDRAULIC RECOIL STOCK 12G. Always prioritize safety and responsible usage to maximize the performance of your shotgun. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk