

TRIJICON RMRCC ADAPTER PLATE FOR GLOCK 43/48 - FORWARD CONTROLS DESIGN ADAPTER PLATE FOR TRIJICON RMRCC FITS GLOCK 43/48

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

OPF-G43x/48, RMRcc (Optics Platform, Forward Controls, G43x/48, RMRcc) is the latest member of the OPF line. G43x and 48 MOS slides are designed for direct mounting of the Shield RMSc sight. Trijicon's RMRcc is longer, and requires an adapter plate which also necessarily raises the mounting surface in order to mount an RMRcc. RMRcc has its own footprint. Gone are the two lug holes in front, these are replaced by two larger diameter threaded posts (bosses) through which the sight to mount/plate screws are installed. The sight to mount/plate screws are also significantly strengthened, though with the OPF-G, RMRcc design that holds the sight immobile on the plate, the larger diameter and stronger screws aren't as important, we always welcome screws that are less likely to strip. With the OPF-G43x/48, RMRcc, we didn't merely raise the mounting surface to provide a platform for the RMRcc. As RMRcc is longer than the G43X/48 MOS cut, the sight overhangs on the slide. When installed, the bottom of RMRcc (with Trijicon provided sealing plate installed) is almost flush with the top of the slide so the sight is as low as possible. We positioned the RMRcc towards the center of the plate as much as feasible, this is done to reduce the amount of unsupported overhang on the RMRcc's sealing plate in front. RMRcc has a rubber gasket around its battery compartment to keep water and moisture at bay, which pushes the sealing plate downward. This isn't an issue if the plate is of the same length as the RMRcc, but with an overhang, it creates a slight gap between the gasket and the sealing plate. OPF-G43x/48, RMRcc's design eliminates the gap/opening between the sight and sealer plate, to the point of emulating a plate that's as long as the sight itself. To wit, if the plate is as long as the RMRcc, it will make the installed height of RMRcc even taller, which is the very reason we chose to let the sight overhang. Torque value: Plate to slide: 12 to 15 in-lbs. Sight to plate: 18 in-lbs.. Weight: 0.75oz Material: 1018 steel, black nitrided



Attributes

- Name: [FORWARD CONTROLS DESIGN ADAPTER PLATE FOR TRIJICON RMRCC FITS GLOCK 43/48](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100042982
- Mfr. No.: OPF-G43X/48, RMRCC
- Colour: Black
- Fits / Used For: Trijicon RMRCC
- Model: 43,48
- Weapon type: Glock
- Weight: 0.75 oz
- Delivery weight: 0.045kg
- Shipping height: 19mm
- Shipping width: 76mm
- Shipping length: 135mm
- UPC: 687408648685

Item details

Made in USA

Table of Contents

- Startpage
- TRIJICON RMRCC ADAPTER PLATE FOR GLOCK 43/48 USER MANUAL
- About Us

TRIJICON RMRCC ADAPTER PLATE FOR GLOCK 43/48 USER MANUAL

Introduction

Thank you for purchasing the TRIJICON RMRCC Adapter Plate for Glock 43/48. This manual provides important safety instructions and guidelines to ensure the safe use and installation of the product. Please read this manual carefully before use.

General Safety Guidelines

- Ensure safe use of the TRIJICON RMRCC Adapter Plate by following all instructions.
- Be aware of potential hazards associated with improper installation or use of the product.
- Regularly check for any recalls or safety notices related to the product.
- If you are using this product in an online purchase, ensure that the seller complies with safety regulations.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always inspect the adapter plate and mounting hardware before installation to ensure they are in good condition.
- Do not exceed the recommended torque values during installation:
 - Plate to slide: 12 to 15 in·lbs.
 - Sight to plate: 18 in·lbs.
- Ensure the RMRcc sight is properly seated on the adapter plate to avoid any movement or detachment.
- Do not modify or alter the adapter plate or any of its components.
- Avoid exposure to extreme conditions that may affect the performance of the adapter plate.
- If you experience any issues with the product, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and components, including the TRIJICON RMRCC Adapter Plate, mounting screws, and a torque wrench.
- Ensure that your Glock 43/48 is unloaded and in a safe condition before beginning installation.

2. Installation Steps:

- Remove any existing optics or mounting plates from the Glock slide.
- Align the TRIJICON RMRCC Adapter Plate with the slide's mounting holes.
- Insert the mounting screws through the adapter plate into the slide.
- Tighten the screws gradually, alternating between screws to ensure even pressure.
- Use a torque wrench to tighten the screws to the specified torque values:
 - Plate to slide: 12 to 15 in·lbs.
 - Sight to plate: 18 in·lbs.
- Ensure that the RMRcc sight is securely attached to the adapter plate.

3. PostInstallation Check:

- Verify that the RMRcc sight is properly aligned and securely mounted.

- Check that there are no gaps or openings between the sight and sealing plate.
- Test the functionality of the sight to ensure proper operation.

Disposal Instructions

- Dispose of the TRIJICON RMRCC Adapter Plate according to local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer in use, consider recycling it if possible.

Contact Information for Further Support

For any questions or concerns regarding the TRIJICON RMRCC Adapter Plate for Glock 43/48, please contact the manufacturer or your point of purchase for assistance.

Thank you for choosing the TRIJICON RMRCC Adapter Plate. By following these safety instructions and guidelines, you can ensure a safe and effective experience with your product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk