

SPEC1 SYNTHETIC FIREARM LUBRICANT - 4 OZ. PREMIUM BLEND LUBRICANT

[Gun Cleaning & Chemicals](#) > [Oils & Lubricants](#) > [Lubricant & Protectant Oils](#)

SPEC1 Premium Blend lubricant contains a proprietary anti-wear agent that reduces friction and wear by 95-98%. Falex tested at 4500 PSI. Penetrates existing lubricants. Will not harden, become sticky, or tacky. Works in extreme temperatures (-110°F to 1250°F), and it will not attract dust, dirt or sand.

SPEC1 Premium Blend Lubricant can be used on ALL firearms SPEC1 Premium Blend Lubricant is safer to handle and safer to use while operating your firearm.



Attributes

- Name: [4 OZ. PREMIUM BLEND LUBRICANT](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: 100043087
- Mfr. No.: SPEC1-40Z
- Size: 4 oz
- Delivery weight: 0.113kg
- Shipping height: 38mm
- Shipping width: 51mm
- Shipping length: 140mm
- UPC: 798681603886

Item details

Made in USA

Table of Contents

- Startpage
- SPEC1 Synthetic Firearm Lubricant Safety Instruction Guide
- About Us

SPEC1 Synthetic Firearm Lubricant Safety Instruction Guide

Introduction

Thank you for choosing SPEC1 Synthetic Firearm Lubricant. This premium blend lubricant is designed to enhance the performance of your firearms while ensuring safe and effective use. Please read this safety instruction guide carefully to understand how to use this product safely and effectively.

General Safety Guidelines

- Always keep the lubricant out of reach of children and vulnerable individuals.
- Use the product in a wellventilated area to avoid inhalation of fumes.
- Avoid contact with skin and eyes. In case of contact, rinse thoroughly with water and seek medical advice if irritation persists.
- Store the lubricant in its original container, tightly closed, and in a cool, dry place away from direct sunlight and heat sources.
- Do not use the lubricant near open flames or sparks.
- Regularly check for updates on product safety and recall information through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded and pointed in a safe direction before applying the lubricant.
- Do not apply the lubricant to the firing pin or inside the barrel of the firearm.
- Use only the recommended amount of lubricant; excessive use may attract dirt and debris.
- Allow the lubricant to penetrate and dry before handling the firearm.
- Do not mix with other lubricants or chemicals unless specified by the manufacturer.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is in a safe condition (unloaded and pointed away from yourself and others).
- Clean the firearm to remove any old lubricant, dirt, or debris.

2. Application

- Shake the SPEC1 Synthetic Firearm Lubricant bottle well before use.
- Apply a small amount of lubricant to the moving parts of the firearm, focusing on areas that experience friction.
- Use a clean cloth to spread the lubricant evenly over the surfaces.

3. PostApplication

- Allow the lubricant to penetrate for a few minutes.
- Wipe off any excess lubricant with a clean cloth to prevent attracting dust and dirt.
- Store the firearm safely after application.

Disposal Instructions

- Dispose of any unused lubricant and empty containers in accordance with local regulations.
- Do not pour lubricant down the drain or dispose of it in household waste.

- Contact your local waste disposal authority for information on hazardous waste disposal.

Contact Information for Further Support

For any questions or concerns regarding the use of SPEC1 Synthetic Firearm Lubricant, please refer to the manufacturer's contact information provided on the product packaging. It is essential to have access to support for any safety inquiries or assistance needed.

By following these safety instructions, you can ensure a safe and effective experience with SPEC1 Synthetic Firearm Lubricant. Thank you for prioritizing safety while using our product.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz