

FAST LPVO MOUNT - UNITY TACTICAL 30MM 2.05" 0 MOA CANTILEVER MOUNT, FDE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The FAST series of optic mounts provides end users with a quicker sight picture than standard height mounts. A taller centerline height provides faster/easier reticle acquisition in all conditions, but especially while wearing tactical gear, night vision goggles, gas masks, helmets, and plate carriers. FAST mounts allow for more rapid visual processing of the battlefield by promoting a heads-up posture. Machined 7075-T6 / Type III Hardcoat Anodized. -Accepts 30mm and 34mm Scopes -Places optic's centerline 2.05" above rail -Compatible with optional offset BUIS/MRDS mount



Attributes

- Name: [UNITY TACTICAL 30MM 2.05" 0 MOA CANTILEVER MOUNT, FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043335
- Mfr. No.: FST-S30205F
- Elevation: 0 MOA
- Finish: Flat Dark Earth
- Scope Tube Diameter: 30mm
- Style: Mount
- Delivery weight: 0.299kg
- Shipping height: 76mm
- Shipping width: 114mm
- Shipping length: 178mm
- UPC: 810007880631

Item details

Made in USA

Table of Contents

- Startpage
- FAST LPVO Mount Safety Instruction Guide
- About Us

FAST LPVO Mount Safety Instruction Guide

Introduction

Thank you for choosing the FAST LPVO Mount by Unity Tactical. This guide provides important safety information, installation instructions, and usage guidelines to ensure your product is used safely and effectively. Please read this manual carefully before using the mount.

General Safety Guidelines

- Ensure that the mount is compatible with your optic before installation.
- Regularly inspect the mount for any signs of wear or damage.
- Always use the mount in accordance with the manufacturer's specifications.
- Keep the mount out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls or safety alerts via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the specified weight limit of the mount.
- Ensure that the mount is securely attached to the rail before use.
- Avoid using the mount in extreme weather conditions unless specifically rated for such use.
- Do not modify the mount or use it in a manner not intended by the manufacturer.
- Wear appropriate safety gear when using equipment in conjunction with the mount.

Instructions for Installation and Usage

1. Installation Instructions:

- Ensure you have all necessary tools before starting the installation.
- Clean the mounting surface on your rail to remove any dirt or debris.
- Align the mount with the rail, ensuring the optic's centerline is positioned 2.05 inches above the rail.
- Secure the mount using the provided screws. Ensure they are tightened to the manufacturer's specifications.
- Doublecheck the alignment of the mount before attaching your optic.

2. Usage Instructions:

- Once installed, position your optic according to your shooting preferences.
- Practice using the mount in a safe environment to become familiar with its operation.
- Regularly check the mount's tightness and alignment, especially after transporting your firearm.
- If you notice any instability or looseness, stop using the mount immediately and inspect it for damage.

Disposal Instructions

- Dispose of the mount in accordance with local regulations.
- Do not dispose of the mount in regular household waste.
- Consider recycling the mount if possible, as it may contain materials that can be reused.

Contact Information for Further Support

For any inquiries regarding safety or product use, please refer to the manufacturer's website or contact their customer support team for assistance.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk