

# FUSION BACKUP FIXED FRONT SIGHT - UNITY TACTICAL FUSION BACKUP FIXED FRONT SIGHT BLACK

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

The FUSION Fixed Backup Iron Sight attaches directly to the FUSION Micro Hub. It provides a standard height front sight, and utilizes an off-the-shelf front sight post that can be replaced by the end user if desired. The Fixed Backup Iron Sight is compatible with all standard AR15 rear BUIS, and is fully adjustable for Elevation. Its serrated rear surface is designed to reduce glare in extreme sunlight.



## Attributes

- Name: [UNITY TACTICAL FUSION BACKUP FIXED FRONT SIGHT BLACK](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043374
- Mfr. No.: FUS-S2B
- Colour: Black
- Material: Aluminum
- Style: Fixed
- Delivery weight: 0.005kg
- Shipping width: 102mm
- Shipping length: 140mm
- UPC: 859114006220

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [FUSION Backup Fixed Front Sight Safety Instructions](#)
- [About Us](#)

# FUSION Backup Fixed Front Sight Safety Instructions

## Introduction

Thank you for choosing the FUSION Backup Fixed Front Sight by UNITY TACTICAL. This guide provides essential safety instructions and usage information to ensure the safe and effective operation of your product. Please read this manual carefully before installation and use.

## General Safety Guidelines

- Ensure that the FUSION Backup Fixed Front Sight is installed and used in accordance with these instructions to prevent accidents and injuries.
- Always handle firearms with care and follow all applicable laws and regulations regarding firearm safety.
- Regularly inspect your sight for any signs of damage or wear. Do not use if damaged.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Avoid using the sight in extreme weather conditions that may affect its performance.
- Ensure that the sight is securely attached to the FUSION Micro Hub before use.
- Do not modify or alter the sight in any way, as this may compromise safety and performance.
- Always use the sight in conjunction with compatible AR15 rear BUIS.
- Be cautious of glare when using the sight in bright sunlight; the serrated rear surface is designed to reduce glare, but it is advisable to be aware of your surroundings.

## Instructions for Installation and Usage

### 1. Installation

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Align the FUSION Backup Fixed Front Sight with the FUSION Micro Hub.
- Securely attach the sight using the provided mounting hardware, ensuring it is firmly in place.
- Doublecheck that the sight is level and properly aligned before use.

### 2. Usage

- Adjust the elevation of the sight as needed for accurate aiming.
- Regularly practice using the sight in a safe environment to become familiar with its operation.
- If you experience any issues with the sight, cease use immediately and consult a qualified technician.

## Disposal Instructions

- Dispose of the FUSION Backup Fixed Front Sight in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste.
- Check with local waste management authorities for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the FUSION Backup Fixed Front Sight, please refer to the official UNITY TACTICAL website or contact your local distributor for assistance.

By following these guidelines and instructions, you can ensure the safe and effective use of your FUSION Backup Fixed Front Sight. Thank you for your attention to safety.

# About Us

## Brownells UK

**Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)