

FUSION BACKUP FIXED FRONT SIGHT - UNITY TACTICAL FUSION BACKUP FIXED FRONT SIGHT FDE

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

The FUSION Fixed Backup Iron Sight attaches directly to the FUSION Micro Hub. It provides a standard height front sight, and utilizes an off-the-shelf front sight post that can be replaced by the end user if desired. The Fixed Backup Iron Sight is compatible with all standard AR15 rear BUIS, and is fully adjustable for Elevation. Its serrated rear surface is designed to reduce glare in extreme sunlight.



Attributes

- Name: [UNITY TACTICAL FUSION BACKUP FIXED FRONT SIGHT FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043375
- Mfr. No.: FUS-S2F
- Colour: Flat Dark Earth
- Material: Aluminum
- Style: Fixed
- Delivery weight: 0.028kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 859114006329

Item details

Made in USA

Table of Contents

- Startpage
- **FUSION BACKUP FIXED FRONT SIGHT Safety Instructions**
- About Us

FUSION BACKUP FIXED FRONT SIGHT Safety Instructions

Introduction

Thank you for choosing the FUSION Backup Fixed Front Sight by UNITY TACTICAL. This safety instruction guide is designed to ensure the safe use and installation of your sight, in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

General Safety Guidelines

- Always ensure that the sight is securely attached to the FUSION Micro Hub before use.
- Inspect the sight for any damage or defects before each use. Do not use if damaged.
- Keep the sight out of reach of children and vulnerable individuals to prevent accidental injury.
- Do not modify or alter the sight in any way, as this may compromise its safety and functionality.
- Use the sight only for its intended purpose, which is to assist in aiming firearms.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or adjusting the sight.
- Use protective eyewear when handling firearms and during installation.
- Be aware of your surroundings and ensure that you are in a safe location when using the firearm.
- If you experience difficulty adjusting the sight, refer to the installation instructions rather than forcing any components.
- Store the sight in a safe, dry place when not in use to prevent damage.

Instructions for Installation and Usage

1. Installation:

- Ensure the FUSION Micro Hub is clean and free of debris.
- Align the FUSION Backup Fixed Front Sight with the mounting points on the Micro Hub.
- Secure the sight using the provided mounting hardware. Ensure it is tightened to prevent movement during use.
- Confirm that the sight is properly aligned and functioning before using the firearm.

2. Usage:

- Adjust the elevation of the sight as needed for your shooting requirements.
- Utilize the standard height front sight for optimal aiming.
- If the front sight post needs replacement, follow the manufacturer's instructions for proper replacement.

Disposal Instructions

- Dispose of the sight in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the sight in regular household waste. Check for designated disposal sites or recycling programs.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the FUSION Backup Fixed Front Sight, please reach out

to the designated EU contact point provided with your product.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of your FUSION Backup Fixed Front Sight. Always prioritize safety and compliance with local laws and regulations when using firearm accessories. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk