

V4 MIL/LEO GLOCK OPTIC MOUNTING PLATE - C&H PRECISION WEAPONS RMR FOOTPRINT RSF MOS MOUNTING PLATE

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

A Dedicated Optic-Mounting Plate for Your Go-To Glock

C&H Precision has developed a dedicated optics-mounting plate designed for use on a range of MOS-ready Glock pistols, and these plates are designed for heavy duty use with a wide range of popular red-dot optics on the market. Each C&H Precision V4 MIL/LEO Optic Mounting Plate designed for use on Glock pistols is machined from 6061 aluminum and treated with a hard-anodized finish. The plates are equipped with two recoil posts, and all of the company's V4 plates come with replaceable T-posts made from stainless steel. Products marked RSF (Rear Sight Forward) feature a forward mounting rear sight built into the mount and are not compatible with the Trijicon SRO. The plates are secured with Torx head screws designed for the best possible retention.



Attributes

- Name: [C&H PRECISION WEAPONS RMR FOOTPRINT RSF MOS MOUNTING PLATE](#)
- Manufacturer: [C&H PRECISION WEAPONS](#)
- Product no.: 100043484
- Mfr. No.: GL-RH-RSF
- Colour: Black
- Fits / Used For: Holosun 407C V2, Holosun 507C, Holosun 507C V2, Holosun 508T, Trijicon RMR, Holosun 508T V2, Trijicon SRO, Holosun 407C
- Model: 17, 34, 41, 19, 35, 40
- Weapon type: Glock
- Weight: 0.2 lbs
- Delivery weight: 0.045kg
- Shipping height: 152mm
- Shipping width: 102mm
- Shipping length: 152mm

Item details

Made in USA

Table of Contents

- Startpage
- V4 MIL/LEO GLOCK OPTIC MOUNTING PLATE C&H PRECISION WEAPONS RMR FOOTPRINT RSF MOS MOUNTING PLATE Safety Instructions
- About Us

V4 MIL/LEO GLOCK OPTIC MOUNTING PLATE C&H PRECISION WEAPONS RMR FOOTPRINT RSF MOS MOUNTING PLATE Safety Instructions

Introduction

Thank you for choosing the V4 MIL/LEO GLOCK Optic Mounting Plate from C&H Precision Weapons. This product is designed to provide a secure and reliable mounting solution for a range of MOSready Glock pistols. It is essential to follow the safety instructions and guidelines outlined in this document to ensure safe and effective use.

General Safety Guidelines

- **Product Safety:** This product is designed to meet safety requirements for nonfood items, ensuring safe use in various conditions.
- **Enhanced Recalls:** In the event of a product recall, you will be notified through standardized notices, and free remedies will be provided for any dangerous products.
- **Online Shopping Protection:** If purchased online, this product is subject to the same safety standards as those bought in physical stores.
- **Consumer Focus:** Special attention is given to vulnerable groups, including children, to ensure their safety when using this product.
- **EU Contact Point:** For any safety inquiries, refer to the designated EUbased contact, which will be provided with your purchase.
- **Rapid Alerts:** Stay informed about any updates regarding product safety through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the mounting plate is compatible with your specific Glock model (17, 19, 34, 35, 41, 40) and the optics you intend to use (e.g., Trijicon RMR, Holosun models).
- **Installation:** Follow the installation instructions carefully to avoid any improper mounting that could lead to accidents or injuries.
- **Maintenance:** Regularly check the mounting plate for signs of wear or damage. Replace any worn components immediately.
- **Use of Tools:** Use only the recommended Torx head screws for securing the mounting plate. Avoid using excessive force during installation to prevent stripping screws or damaging the plate.
- **Children:** Keep this product out of reach of children to prevent accidental injury or misuse.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including Torx screwdrivers and any required optics.
- Ensure your workspace is clean and free from distractions.

2. Installation Steps:

- Remove the slide from your Glock pistol as per the manufacturer's instructions.
- Align the C&H Precision V4 mounting plate with the MOS cut on the slide.
- Secure the mounting plate using the provided Torx head screws. Ensure that the screws are tightened evenly to avoid misalignment.
- If applicable, install the rear sight included with the RSF model, ensuring it is securely fastened.

- Once the installation is complete, doublecheck that the plate is firmly attached and that there is no movement.

3. Usage:

- After installation, mount your chosen optic according to the manufacturer's instructions.
- Conduct a function check to ensure everything is operating correctly before taking the firearm to the range or field.
- Always follow safe firearm handling practices when using your Glock pistol.

Disposal Instructions

- When disposing of the V4 MIL/LEO Optic Mounting Plate, ensure that it is done in accordance with local regulations regarding aluminum and metal waste.
- Do not dispose of any components in regular household waste. Instead, recycle materials whenever possible.

Contact Information for Further Support

For any further inquiries regarding the V4 MIL/LEO GLOCK Optic Mounting Plate, please refer to the contact information provided with your product purchase.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your C&H Precision Weapons V4 MIL/LEO Optic Mounting Plate. Thank you for your attention to safety and for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk