

T-SERIES L2C HOLSTER - BLACKHAWK SPRINGFIELD HELLCAT RH HOLSTER, BLACK

[Home](#)

With its streamlined thumb-activated retention, the T-Series keeps your firearm at the ready while maintaining total security. Thanks to a drawing motion that operates off of the Master Grip Principle, you'll be able to get into the fight under even the most stressful of circumstances. A combination of reinforced outer polymer and smooth, sound-dampening, hydrophobic lining ensures your T-Series will perform no matter the elements and situation. Included with the L2C is the Quick Dual Release Belt Loop (attached) and the 2-Slot Belt Loop. Jacket Slot Belt Loop sold separately.



Attributes

- Name: [BLACKHAWK SPRINGFIELD HELLCAT RH HOLSTER, BLACK](#)
- Manufacturer: [BLACKHAWK](#)
- Product no.: 100043790
- Mfr. No.: 410777BKR
- Colour: Black
- Hand: Right
- Material: Polymer
- Model: Hellcat
- Style: Outside The Waistband
- Weapon type: Springfield
- Delivery weight: 0.372kg
- Shipping height: 102mm
- Shipping width: 140mm
- Shipping length: 235mm
- UPC: 604544662658

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [TSERIES L2C HOLSTER USER SAFETY INSTRUCTIONS](#)
- [About Us](#)

TSERIES L2C HOLSTER USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the TSERIES L2C Holster for your Springfield Hellcat. This guide provides essential safety instructions and guidelines to ensure the safe use of your holster. Please read this manual thoroughly before using the product.

General Safety Guidelines

- Always ensure that your firearm is unloaded before placing it in the holster.
- Do not use the holster if it is damaged or shows signs of wear.
- Keep the holster out of reach of children and unauthorized users.
- Use the holster only for its intended purpose, which is to securely hold your Springfield Hellcat.
- Regularly inspect the holster for any signs of damage or wear.
- Be aware of your surroundings and ensure that the firearm is pointed in a safe direction when drawing or reholstering.

Specific Safety Precautions for Use

- Ensure that the thumbactivated retention system is functioning properly before use.
- When drawing your firearm, maintain a firm grip and keep your finger off the trigger until you are ready to fire.
- Avoid using excessive force when drawing or reholstering your firearm.
- Be cautious of the holster's position on your body to prevent accidental discharge.
- If you experience difficulty in drawing or reholstering your firearm, do not force it; instead, check for obstructions or consult a professional.

Instructions for Installation and Usage

1. Installation of the Holster:

- Attach the Quick Dual Release Belt Loop to your belt. Ensure it is secure and properly aligned.
- If using the 2Slot Belt Loop, follow the same procedure for attachment.
- Ensure the holster is positioned comfortably and securely on your body.

2. Using the Holster:

- To draw your firearm, press the thumb release button while simultaneously pulling the firearm upward.
- After use, reholster the firearm by guiding it into the holster while ensuring the thumb retention system is engaged.
- Always check that the firearm is securely in place before moving.

Disposal Instructions

- Dispose of the holster in accordance with local regulations.
- If the holster is damaged beyond repair, consider recycling the materials where possible.
- Do not dispose of the holster in regular household waste if it contains any hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the T SERIES L2C Holster, please refer to the manufacturer's website or contact your local dealer for assistance.

Important Note

This product is designed for adult users only. Ensure that all users are trained in safe firearm handling practices. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk