

# AR-15 END PLATE W/ 3-QD SLING SWIVEL SOCKETS STEEL - FORWARD CONTROLS DESIGN END PLATE W/ 3-QD SLING SWIVEL SOCKETS BLACK DLC

[Rifle Parts](#) > [Receiver Parts](#) > [Buffer Tube Parts](#) > [Buffer Tube Hardware](#)

AR-15 END PLATE W/ 3-QD SLING SWIVEL SOCKETS STEEL As is FCD's practice, ESF's shape is dictated by its functions. In order to accommodate the rear facing socket, and fill one of the design requirements that ESF must be able to use stakable castle nuts and allow the carbine stock to fully collapse, ESF has a slight increase in width on the sides, and small openings on the top of the sockets housing. These design cues do not affect ESF's structural integrity, and mostly go unnoticed by users, they merely reflect a paradox, that it can be quite complicated to create a simplified design. A seemingly simple product can often be more than meets the eye. End plate sling adapter for ARs Side and rear facing sockets Billet 4140 DLC Black or FDE Cerakote finishes NOTE: End plates that incorporate side facing QD swivel sockets can mask available wrench notches required for torquing. A conventional castle nut wrench has 3 lugs, in some cases, the socket housing may partially block access to one of them. A 2 lug castle nut wrench, such as the AR Multitasker, or our JCW (Joint Castle nut Wrench) would be required to torque the castle nut properly. ESF's receiver extension indexing tab can be tight on some receiver extensions.



## Attributes

- Name: [FORWARD CONTROLS DESIGN END PLATE W/ 3-QD SLING SWIVEL SOCKETS BLACK DLC](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100044412
- Mfr. No.: ESF-H, 4140, BL
- Colour: DLC Black
- Material: Steel
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 680665827084

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 End Plate with 3QD Sling Swivel Sockets
- About Us

# Safety Instruction Guide for AR15 End Plate with 3QD Sling Swivel Sockets

## Introduction

Thank you for choosing the AR15 End Plate with 3QD Sling Swivel Sockets by Forward Controls Design. This product is designed to enhance the functionality of your AR15 while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use, install, and maintain your product safely.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the AR15 End Plate by following all instructions and guidelines provided.
- **Enhanced Recalls:** Stay informed about any product recalls. Check regularly for updates on the EU's Safety Gate platform.
- **Online Shopping Protections:** If purchased online, ensure that the seller complies with safety requirements as mandated by EU regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Keep all components out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point for assistance.
- **Rapid Alerts:** Be aware of updates on unsafe products through the Safety Gate system.

## Specific Safety Precautions for Use

- **Potential Hazards:**
  - Improper installation may lead to malfunction or injury.
  - Using incompatible tools may damage the product or cause accidents.
- **Avoiding Hazards:**
  - Always use the recommended tools for installation and adjustment.
  - Ensure that the product is securely attached before use.
  - Regularly inspect the end plate and its components for wear or damage.
- **Age Specific Warnings:**
  - This product should only be used by individuals who are of legal age to own and operate firearms.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a compatible castle nut wrench (preferably a 2lug wrench).
- Ensure that you are working in a clean and safe environment.

### 2. Installation:

- Remove the existing end plate from your AR15 using the appropriate wrench.
- Align the new AR15 End Plate with the receiver extension.
- Securely attach the end plate using the compatible castle nut wrench. Ensure the castle nut is torqued properly to avoid loosening during use.
- Verify that the side and rear facing sockets are accessible and functional.

### 3. Usage:

- Attach your sling to the QD swivel sockets as needed.
- Before each use, check that the sling is securely fastened and that the end plate is intact.

#### **4. Regular Maintenance:**

- Inspect the end plate regularly for any signs of wear or damage.
- Clean the product with a soft cloth and appropriate cleaning solutions to maintain its finish.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations for metal and plastic waste.
- Ensure that all components are disposed of properly to prevent environmental harm.

## **Contact Information for Further Support**

For any additional questions or concerns regarding the AR15 End Plate with 3QD Sling Swivel Sockets, please refer to the designated support contact provided by your retailer or manufacturer.

Thank you for your attention to these safety instructions. Your adherence to these guidelines will help ensure a safe and enjoyable experience with your AR15 End Plate.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)