

AR-15 END PLATE W/ 3-QD SLING SWIVEL SOCKETS STEEL - FORWARD CONTROLS DESIGN END PLATE W/ 3-QD SLING SWIVEL SOCKETS FDE CERAKOTE

[Rifle Parts](#) > [Receiver Parts](#) > [Buffer Tube Parts](#) > [Buffer Tube Hardware](#)

AR-15 END PLATE W/ 3-QD SLING SWIVEL SOCKETS STEEL As is FCD's practice, ESF's shape is dictated by its functions. In order to accommodate the rear facing socket, and fill one of the design requirements that ESF must be able to use stakable castle nuts and allow the carbine stock to fully collapse, ESF has a slight increase in width on the sides, and small openings on the top of the sockets housing. These design cues do not affect ESF's structural integrity, and mostly go unnoticed by users, they merely reflect a paradox, that it can be quite complicated to create a simplified design. A seemingly simple product can often be more than meets the eye. End plate sling adapter for ARs Side and rear facing sockets Billet 4140 DLC Black or FDE Cerakote finishes NOTE: End plates that incorporate side facing QD swivel sockets can mask available wrench notches required for torquing. A conventional castle nut wrench has 3 lugs, in some cases, the socket housing may partially block access to one of them. A 2 lug castle nut wrench, such as the AR Multitasker, or our JCW (Joint Castle nut Wrench) would be required to torque the castle nut properly. ESF's receiver extension indexing tab can be tight on some receiver extensions.



Attributes

- Name: [FORWARD CONTROLS DESIGN END PLATE W/ 3-QD SLING SWIVEL SOCKETS FDE CERAKOTE](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100044413
- Mfr. No.: ESF-H, 4140, FD
- Colour: Flat Dark Earth Cerakote
- Material: Steel
- Weapon type: AR-15
- Delivery weight: 0.05kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 152mm
- UPC: 680665827091

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 End Plate with 3QD Sling Swivel Sockets
- About Us

Safety Instruction Guide for AR15 End Plate with 3QD Sling Swivel Sockets

Introduction

Thank you for choosing the AR15 End Plate with 3QD Sling Swivel Sockets from Forward Controls Design. This guide provides essential safety instructions and usage guidelines to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Inspect the product for any visible damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations concerning the use of firearm accessories.
- Report any unsafe conditions or incidents related to the product to the appropriate authorities.

Specific Safety Precautions for Use

- **Installation Caution:** Ensure that the installation area is clear and free from distractions.
- **Torque Requirements:** Use a compatible 2lug castle nut wrench to avoid blocking access to wrench notches.
- **Receiver Compatibility:** Be aware that ESF's indexing tab can be tight on some receiver extensions. Ensure compatibility before installation.
- **Weight Limitations:** Do not exceed the recommended weight limits for the sling and any accessories attached to the end plate.
- **Regular Maintenance:** Periodically inspect the end plate and sling swivel sockets for wear and tear. Replace if necessary.

Instructions for Installation and Usage

1. Preparation

- Gather the necessary tools, including a compatible 2lug castle nut wrench.
- Ensure the workspace is clean and welllit.

2. Installation Steps

- Remove the existing end plate from your AR15 buffer tube.
- Align the new end plate with the buffer tube, ensuring that the rearfacing socket is positioned correctly.
- Secure the end plate using the compatible castle nut wrench, ensuring it is tightened to the recommended torque specifications.
- Test the stability of the end plate and ensure that the sling swivel sockets are functioning correctly.

3. Usage Instructions

- Attach your sling to the QD swivel sockets as needed.
- Ensure that the sling is securely fastened before use.
- Regularly check the connection points for wear and ensure that the sling operates smoothly.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for local recycling programs or hazardous waste disposal options.

Contact Information for Further Support

For any questions or concerns regarding the AR15 End Plate with 3QD Sling Swivel Sockets, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Please ensure you follow all guidelines to enjoy the full benefits of your product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk