

# AR-15 ENLARGED TRIGGERGUARD - FORWARD CONTROLS DESIGN

## AR-15 ENLARGED TRIGGERGUARD FDE

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Guards](#)

TGF (Trigger Guard, Forward Controls) Winter, BLK is machined from 7075 aluminum and Type III anodized black, it does not have a spring-loaded detent for the front, but use a set screw like Magpul's, and a standard trigger guard roll pin in the rear. We retained the use of roll pin for TGF's rear, as it's reliable and robust, it also will not loosen. The front set screw is flush with the receiver and doesn't protrude. Both versions feature a canted front edge to make rocking the magazine into the mag well easier. The winter version has as much constant/unchanged space from the trigger bow forward as possible (instead of the space inside tapering and decreasing as the trigger guard nears the receiver's front trigger guard holes). The space to the rear of the trigger bow is inaccessible for the user's finger, so it's kept small and low. TGF is designed for use with TDP spec forged lower receivers, and fills the gap forward of the pistol grip, between the trigger guard "ears" (note that TGF will not swing down like TDP spec trigger guards). All the sharp edges and corners have been removed. TGF is proudly designed and made in the USA. A trigger guard roll pin and set screw (for the front) are included. A 1/16 Allen wrench is required (not included). 7075 billet trigger guard for AR-15/M16 Enlarged space for gloved trigger finger Hard coat Type III anodized black Includes Set screw and roll pin Color: Black, FDE, or OD Green



### Attributes

- Name: [FORWARD CONTROLS DESIGN AR-15 ENLARGED TRIGGERGUARD FDE](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100044418
- Mfr. No.: TGF, WINTER, FD
- Finish: Flat Dark Earth
- Weapon type: AR-15
- Delivery weight: 0.023kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 683828757440

### Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Enlarged Triggerguard
- About Us

# Safety Instruction Guide for AR15 Enlarged Triggerguard

## Introduction

Thank you for purchasing the AR15 Enlarged Triggerguard from Forward Controls Design. This guide provides essential safety information, installation instructions, and maintenance tips to ensure the safe and effective use of your product. Please read this guide thoroughly before use.

## General Safety Guidelines

- Ensure that the trigger guard is compatible with your AR15/M16 model before installation.
- Always handle firearms and firearm accessories with care to prevent accidents.
- Keep the trigger guard and all firearm components away from children and unauthorized users.
- Inspect the trigger guard for any damage or defects before installation. Do not use if damaged.
- Follow all local laws and regulations regarding firearm accessories.

## Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing the trigger guard.
- Use caution when handling tools during installation to avoid injury.
- Avoid placing fingers inside the trigger guard area when the firearm is loaded.
- Do not modify the trigger guard or any firearm components, as this can compromise safety and functionality.
- If you experience any issues with the trigger guard, cease use immediately and seek professional assistance.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that your AR15/M16 is unloaded and pointed in a safe direction.
- Gather necessary tools: a 1/16 Allen wrench (not included) and a trigger guard roll pin.

### 2. Installation:

- Remove the existing trigger guard by carefully driving out the rear roll pin.
- Align the new AR15 Enlarged Triggerguard with the trigger guard holes on the receiver.
- Insert the trigger guard roll pin into the rear hole to secure the trigger guard in place.
- Use the set screw at the front of the trigger guard to ensure a snug fit. Ensure the set screw is flush with the receiver and does not protrude.
- Confirm that the trigger guard is securely installed and does not move.

### 3. Usage:

- Ensure that the trigger guard is properly installed before using your firearm.
- The enlarged space is designed to accommodate gloved fingers. Always ensure your fingers are clear of the trigger area until ready to fire.
- Regularly check the tightness of the set screw and roll pin to ensure they have not loosened during use.

## **Disposal Instructions**

- Dispose of the trigger guard and any packaging materials in accordance with local regulations.
- Do not dispose of the trigger guard in regular household waste if it is damaged or defective. Instead, contact local waste management services for proper disposal methods.

## **Contact Information for Further Support**

For any safety inquiries or additional support regarding the AR15 Enlarged Triggerguard, please refer to the manufacturer's contact information provided with your purchase.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your AR15 Enlarged Triggerguard. Thank you for your attention to safety and responsible firearm ownership.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)