

AR-15 BOLT CATCH SPRING - SONS OF LIBERTY GUN WORKS BOLT CATCH SPRING FOR AR-15

[Home](#)

Sons of Liberty Gun Works factory OEM Bolt Catch Spring for Mil-Spec AR-15s.



Attributes

- Name: [SONS OF LIBERTY GUN WORKS BOLT CATCH SPRING FOR AR-15](#)
- Manufacturer: [SONS OF LIBERTY GUN WORKS](#)
- Product no.: 100045002
- Mfr. No.: RP BOLTCATCHSPRING
- Weapon type: AR-15
- Delivery weight: 0.005kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 785939517385

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Bolt Catch Spring
- About Us

Safety Instruction Guide for AR15 Bolt Catch Spring

Introduction

Thank you for purchasing the AR15 Bolt Catch Spring from Sons of Liberty Gun Works. This guide provides important safety information and instructions to ensure the safe and effective use of the product. Please read this guide carefully before use.

General Safety Guidelines

- Always handle firearms and firearm components with care and respect.
- Ensure that the AR15 is unloaded before performing any maintenance or installation.
- Store all firearm components in a secure and dry location, away from children and unauthorized users.
- Regularly check for signs of wear or damage on all firearm components, including the bolt catch spring.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- This product is designed for use with MilSpec AR15s only. Ensure compatibility before installation.
- Avoid using the bolt catch spring if it shows signs of damage, such as bending or breaking.
- Keep fingers and other body parts clear of the bolt catch area during installation and operation.
- Follow all local laws and regulations regarding the use and modification of firearms.

Instructions for Installation and Usage

1. Preparation:

- Ensure the AR15 is unloaded.
- Gather necessary tools for installation (e.g., punch tool, hammer).

2. Installation Steps:

- Remove the existing bolt catch spring if applicable:
 - Use a punch tool to carefully push out the bolt catch pin.
 - Remove the old spring.
- Install the new bolt catch spring:
 - Place the new bolt catch spring in its designated position.
 - Align the bolt catch with the receiver.
 - Use the punch tool to reinsert the bolt catch pin securely.
- Test the installation:
 - Ensure that the bolt catch operates smoothly.
 - Confirm that the bolt catch holds the bolt in the rear position when engaged.

3. Usage:

- Operate the AR15 following the manufacturer's guidelines.
- Regularly check the functionality of the bolt catch during routine maintenance.

Disposal Instructions

- Dispose of any old or damaged bolt catch springs in accordance with local regulations.
- Do not dispose of firearm components in regular household waste. Instead, consult local waste

management services for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the AR15 Bolt Catch Spring, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can help ensure a safe and responsible experience with your AR15 Bolt Catch Spring. Thank you for prioritizing safety in your firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk