

AR-15 PISTOL GRIP LOCK WASHER - SONS OF LIBERTY GUN WORKS

AR-15 PISTOL GRIP LOCK WASHER

[Rifle Parts](#) > [Grip Parts](#) > [Pistol Grip Components](#)

Sons of Liberty Gun Works factory OEM Pistol Grip Lock Washer for Mil-Spec AR-15s.



Attributes

- Name: [SONS OF LIBERTY GUN WORKS AR-15 PISTOL GRIP LOCK WASHER](#)
- Manufacturer: [SONS OF LIBERTY GUN WORKS](#)
- Product no.: 100045038
- Mfr. No.: STARWASHER
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 76mm
- Shipping length: 127mm
- UPC: 785939517743

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Pistol Grip Lock Washer
- About Us

Safety Instruction Guide for AR15 Pistol Grip Lock Washer

Introduction

Thank you for choosing the AR15 Pistol Grip Lock Washer from Sons of Liberty Gun Works. This product is designed to enhance the safety and functionality of your MilSpec AR15. Please read this safety instruction guide carefully to ensure safe and proper use of the product.

General Safety Guidelines

- Ensure that you are familiar with the basic operation of your AR15 before installing or using the Pistol Grip Lock Washer.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Keep the product and all firearms out of reach of children and unauthorized users.
- Regularly inspect the Pistol Grip Lock Washer for any signs of wear or damage before each use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Only use the Pistol Grip Lock Washer with MilSpec AR15s.
- Ensure that the installation is performed in a clean and dry environment to avoid contamination.
- Do not exceed the manufacturer's specifications for torque when tightening screws or fasteners.
- If you experience any difficulties during installation, consult a qualified gunsmith for assistance.
- In the event of a malfunction or failure, cease use immediately and inspect the firearm and components.

Instructions for Installation and Usage

1. Gather Required Tools

- Screwdriver (appropriate size for your AR15 screws)
- Torque wrench (if applicable)

2. Preparation

- Ensure the AR15 is unloaded and the safety is engaged.
- Remove the existing grip if applicable.

3. Installation Steps

- Place the Pistol Grip Lock Washer onto the designated area of the AR15.
- Align the washer with the grip screw hole.
- Insert the grip screw through the washer and into the grip.
- Tighten the screw to the manufacturer's specifications using a torque wrench if necessary.
- Ensure the grip is securely attached and the washer is properly seated.

4. Post-Installation Check

- Inspect the installation to ensure that the Pistol Grip Lock Washer is not loose or misaligned.
- Test the function of the grip to ensure stability and safety.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the Pistol Grip Lock Washer becomes damaged or is no longer usable, dispose of it in a manner that prevents it from being accessible to children or unauthorized individuals.

Contact Information for Further Support

For any inquiries regarding product safety or installation assistance, please reach out to the designated EUbased contact point associated with this product.

Please remember to stay informed about safety recalls and updates by checking the EU's Safety Gate platform regularly.

Thank you for prioritizing safety and responsible usage of your AR15 Pistol Grip Lock Washer.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk