

AR-15 FRONT SLING LOOP - SONS OF LIBERTY GUN WORKS FRONT SLING LOOP FOR AR-15

[Rifle Parts](#) > [Stock Parts](#) > [Swivel Parts](#) > [Swivels](#)

Sons of Liberty Gun Works factory OEM Front Sling Loop for Mil-Spec AR-15s.



Attributes

- Name: [SONS OF LIBERTY GUN WORKS FRONT SLING LOOP FOR AR-15](#)
- Manufacturer: [SONS OF LIBERTY GUN WORKS](#)
- Product no.: 100045057
- Mfr. No.: FBSLINGLOOP
- Finish: Black
- Material: Steel
- Weapon type: AR-15
- Delivery weight: 0.011kg
- Shipping height: 6mm
- Shipping width: 25mm
- Shipping length: 44mm
- UPC: 785939517941

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [AR15 Front Sling Loop Safety Instructions](#)
- [About Us](#)

AR15 Front Sling Loop Safety Instructions

Introduction

Thank you for choosing the AR15 Front Sling Loop from Sons of Liberty Gun Works. This product is designed to enhance your firearm's functionality and safety. Please read this safety instruction guide carefully to ensure safe and effective use of the sling loop.

General Safety Guidelines

- Ensure that the sling loop is compatible with your AR15 model.
- Always treat your firearm as if it is loaded.
- Use the sling loop only for its intended purpose.
- Inspect the sling loop regularly for signs of wear or damage.
- Keep the sling loop and firearm out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not exceed the weight limit specified by the manufacturer when using the sling loop.
- Avoid using the sling loop in adverse weather conditions that could affect its performance.
- Ensure that the sling is securely attached to the loop before use.
- Do not modify the sling loop in any way, as this may compromise its safety and effectiveness.
- Always follow the firearm manufacturer's safety guidelines when using accessories like the sling loop.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Locate the designated attachment point on your AR15.
- Align the front sling loop with the attachment point.
- Securely fasten the loop using the provided hardware, ensuring it is tightened to prevent movement.
- Doublecheck that the sling loop is securely attached before proceeding.

2. Usage:

- Attach your sling to the front sling loop.
- Adjust the sling to your desired length and comfort.
- When using the firearm, ensure that the sling does not obstruct your grip or trigger access.
- After use, remove the sling from the loop and store the firearm safely.

Disposal Instructions

- Dispose of the sling loop in accordance with local regulations.
- Do not dispose of the sling loop in regular household waste if it is damaged or no longer usable.
- Consider recycling the steel material if applicable, following your local recycling guidelines.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the AR15 Front Sling Loop, please refer to the manufacturer's contact information provided on the packaging or visit their official website.

Thank you for prioritizing safety and responsible use of your firearm accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk