

# AR-15 FRONT SLING LOOP RIVET - SONS OF LIBERTY GUN WORKS FRONT SLING LOOP RIVET FOR AR-15

[Rifle Parts](#) > [Stock Parts](#) > [Swivel Parts](#) > [Swivel Hardware](#)

Sons of Liberty Gun Works factory OEM Front Sling Loop Rivet for Mil-Spec AR-15s.



## Attributes

- Name: [SONS OF LIBERTY GUN WORKS FRONT SLING LOOP RIVET FOR AR-15](#)
- Manufacturer: [SONS OF LIBERTY GUN WORKS](#)
- Product no.: 100045058
- Mfr. No.: FSBSLINGRIVET
- Weapon type: AR-15
- Delivery weight: 0.005kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 51mm
- UPC: 785939517958

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Front Sling Loop Rivet
- About Us

# Safety Instruction Guide for AR15 Front Sling Loop Rivet

## Introduction

Thank you for choosing the AR15 Front Sling Loop Rivet from Sons of Liberty Gun Works. This guide provides essential safety instructions to ensure the safe use and installation of this product. Please read and follow these guidelines carefully to minimize risks associated with its use.

## General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with these instructions.
- Always handle the product with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of wear or damage.
- If you notice any defects or issues, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Use appropriate tools when installing the sling loop rivet to avoid injury.
- Wear safety goggles to protect your eyes from debris during installation.
- Ensure that the firearm is unloaded and pointed in a safe direction while installing the rivet.
- Do not modify the rivet or use it in a manner not specified in this guide.
- Be aware of your surroundings and ensure that no one is in close proximity during installation.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a drill, rivet tool, and safety goggles.
- Ensure that your AR15 is completely unloaded and safe to work on.

### 2. Installation Steps:

- Identify the location on the AR15 where the sling loop rivet will be installed.
- Use a drill to create a hole at the designated location, ensuring it is the correct size for the rivet.
- Insert the sling loop rivet into the hole, ensuring it is properly aligned.
- Use the rivet tool to secure the rivet in place, following the manufacturer's instructions carefully.
- Check that the sling loop is firmly attached and does not move or wobble.

### 3. PostInstallation Checks:

- After installation, inspect the rivet to ensure it is secure.
- Test the sling loop by attaching a sling and applying gentle pressure to ensure stability.

## Disposal Instructions

- Dispose of any packaging materials responsibly by recycling where possible.
- If the product is damaged or no longer needed, dispose of it in accordance with local waste disposal regulations.
- Do not throw the product in regular household waste if it contains hazardous materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the AR15 Front Sling Loop Rivet, please refer to the manufacturer's website or customer service for assistance.

By following these guidelines, you can ensure the safe and effective use of your AR15 Front Sling Loop Rivet. Thank you for your attention to safety and for choosing Sons of Liberty Gun Works.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)