

FOUR HOLE SKELETON RINGS - WEAVER 30MM FOUR HOLE SKELETON RINGS, HIGH

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

FOUR HOLE SKELETON RINGS These rings feature four Torx screws for maximum holding power and clamping pressure for reliable optic mounting. The lightweight aircraft grade aluminum are hard anodized coated for a lifetime of service. SPECS: Precision machined from 6061 T6 aluminum and finished with Type III hard-coat anodizing for maximum durability. Made in America. No-strip Torx screws and skeletonized design. Type-III hard coat anodized finished.



Attributes

- Name: [WEAVER 30MM FOUR HOLE SKELETON RINGS, HIGH](#)
- Manufacturer: [WEAVER](#)
- Product no.: 100046162
- Mfr. No.: 48366
- Finish: Black
- Height: High
- Scope Tube Diameter: 30mm
- Size: High
- Style: Weaver-Style Rings
- Delivery weight: 0.181kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 127mm
- UPC: 076683483669

Item details

Made in USA

Table of Contents

- Startpage
- FOUR HOLE SKELETON RINGS SAFETY INSTRUCTION GUIDE
- About Us

FOUR HOLE SKELETON RINGS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the FOUR HOLE SKELETON RINGS. These rings are designed for reliable optic mounting using four Torx screws for maximum holding power. This guide provides essential safety instructions to ensure the proper and safe use of this product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Read all instructions carefully before installation and use.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear.
- If any part of the product is damaged, discontinue use immediately and seek a replacement.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate safety gear when handling tools or equipment.
- Use only the recommended Torx screwdrivers to avoid stripping screws.
- Ensure that the mounting surface is stable and secure before installation.
- Avoid overtightening screws, which can damage the rings or the optic.
- Do not modify the product in any way, as this can compromise safety and performance.
- Store the product in a cool, dry place when not in use to prevent corrosion.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a Torx screwdriver compatible with the screws provided.
- Ensure that the mounting surface is clean and free of debris.

2. Installation Steps

- Position the FOUR HOLE SKELETON RINGS on the desired optic mount.
- Align the rings to ensure proper placement.
- Insert the Torx screws into the holes provided and handtighten them initially.
- Using the Torx screwdriver, tighten the screws in a crisscross pattern to ensure even pressure.
- Do not exceed the recommended torque specifications to prevent damage.

3. Usage

- After installation, doublecheck that all screws are secure before using the optic.
- Regularly check the tightness of the screws, especially after heavy use or transport.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is no longer usable, consider recycling materials where possible.
- Do not dispose of the product in household waste.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's contact information provided with your product packaging or on the official website.

Thank you for your attention to these safety instructions. Enjoy using your FOUR HOLE SKELETON RINGS with confidence, knowing that you are following best practices for safety and performance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk