

# FOUR HOLE SKELETON RINGS - WEAVER 30MM FOUR HOLE SKELETON RINGS, X-HIGH

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

FOUR HOLE SKELETON RINGS These rings feature four Torx screws for maximum holding power and clamping pressure for reliable optic mounting. The lightweight aircraft grade aluminum are hard anodized coated for a lifetime of service. SPECS: Precision machined from 6061 T6 aluminum and finished with Type III hard-coat anodizing for maximum durability. Made in America. No-strip Torx screws and skeletonized design. Type-III hard coat anodized finished.



## Attributes

- Name: [WEAVER 30MM FOUR HOLE SKELETON RINGS, X-HIGH](#)
- Manufacturer: [WEAVER](#)
- Product no.: 100046163
- Mfr. No.: 48367
- Finish: Black
- Height: Extra High
- Scope Tube Diameter: 30mm
- Size: Extra High
- Style: Weaver-Style Rings
- Delivery weight: 0.181kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 127mm
- UPC: 076683483676

## Item details

Made in USA

# Table of Contents

- Startpage
- FOUR HOLE SKELETON RINGS WEAVER 30MM FOUR HOLE SKELETON RINGS Safety Instruction Guide
- About Us

# FOUR HOLE SKELETON RINGS WEAVER 30MM

## FOUR HOLE SKELETON RINGS Safety Instruction Guide

### Introduction

Thank you for choosing the FOUR HOLE SKELETON RINGS WEAVER 30MM. This safety instruction guide is designed to ensure the safe and effective use of your product. Please read this guide thoroughly before installation and usage to avoid any potential hazards.

### General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the product for any visible damage or defects before use.
- Store the product in a safe, dry place away from children and pets.
- Follow all local regulations and guidelines when using this product.
- Be aware of your surroundings while using the product to prevent accidents.

### Specific Safety Precautions for Use

- Use caution when handling the Torx screws; they may be sharp.
- Do not exceed the recommended torque specifications when tightening the screws.
- Ensure that the rings are securely mounted to avoid any risk of detachment during use.
- Regularly check the tightness of the screws to maintain safety and performance.
- If you notice any unusual wear or damage, discontinue use immediately and seek assistance.

### Instructions for Installation and Usage

#### 1. Installation

- Gather all necessary tools, including a Torx screwdriver.
- Select the appropriate mounting location on your scope.
- Align the FOUR HOLE SKELETON RINGS with the mounting points.
- Insert the Torx screws into the designated holes and handtighten.
- Use the Torx screwdriver to securely tighten the screws, ensuring not to overtighten.
- Doublecheck that the rings are securely attached to the scope and the mounting surface.

#### 2. Usage

- Once installed, ensure that the scope is properly aligned with your firearm or equipment.
- Always handle your firearm or equipment responsibly and in accordance with local laws.
- Regularly inspect the rings during use for any signs of wear or loosening.

### Disposal Instructions

- Dispose of the product in accordance with local waste disposal regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum material if facilities are available in your area.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the product, please refer to the manufacturer's official website or customer service resources. It is essential to have a reliable point of contact for safety inquiries.

By following these guidelines, you can ensure the safe use of your FOUR HOLE SKELETON RINGS WEAVER 30MM. Your safety is our priority, and we appreciate your commitment to responsible usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)