

SIX-HOLE PICATINNY RINGS - WEAVER 30MM SIX-HOLE PICATINNY RINGS, LOW

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

SIX-HOLE PICATINNY RINGS Weaver's popular Six Hole Tactical Rings just got the Picatinny treatment. These new rings feature the same six screws for max security and clamping pressure but get serious upgrades for LE and military use. An improved Picatinny crossbolt design (from Weaver to Picatinny spec), Type III hard coat anodized finish, no strip/slip Torx screws and an increased number of height options make these new 6-hole rings the go-to mounts for all Tactical Precision rifles. Curious about ring height? See the dimensions in specifications on this page, or visit the reference chart here. FEATURES Improved crossbolt from Weaver to Picatinny spec Type-III hard coat anodized finished No-strip Torx screws and skeletonized design



Attributes

- Name: [WEAVER 30MM SIX-HOLE PICATINNY RINGS, LOW](#)
- Manufacturer: [WEAVER](#)
- Product no.: 100046170
- Mfr. No.: 99692
- Finish: Black
- Height: Low
- Scope Tube Diameter: 30mm
- Size: Low
- Style: Picatinny Rings
- Delivery weight: 0.159kg
- Shipping height: 140mm
- Shipping width: 36mm
- Shipping length: 145mm

Item details

Made in USA

Table of Contents

- Startpage
- **SIXHOLE PICATINNY RINGS USER SAFETY INSTRUCTIONS**
- About Us

SIXHOLE PICATINNY RINGS USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the SIXHOLE PICATINNY RINGS by Weaver. These tactical rings are designed to provide secure mounting for your precision rifles. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Inspect the rings regularly for any signs of wear, damage, or loose screws.
- Keep the product out of reach of children and vulnerable individuals.
- Always follow the manufacturer's instructions for installation and usage.
- In case of any malfunction or safety concern, discontinue use immediately and report it.

Specific Safety Precautions for Use

- **Hazard Identification:** Improper installation may lead to scope misalignment or detachment. Using incompatible scopes may cause damage to the scope or rings.
- **Avoiding Hazards:** Ensure that all screws are tightened to the manufacturer's specifications. Use only compatible scopes with a 30mm tube diameter. Do not exceed the recommended weight limit for mounted accessories.
- **Age Specific Warnings:** This product is not intended for use by individuals under 18 years of age without adult supervision.

Instructions for Installation and Usage

1. Installation:

- Gather necessary tools: Torx screwdriver (included).
- Remove any existing rings from the scope.
- Align the scope with the Picatinny rail on your rifle.
- Place the SIXHOLE PICATINNY RINGS around the scope tube.
- Position the rings on the rail and ensure they are properly aligned.
- Tighten the Torx screws securely using the provided screwdriver. Ensure no screws are stripped or slipping.
- Doublecheck alignment and tightness before use.

2. Usage:

- Regularly check the tightness of the screws, especially after heavy use or adjustments.
- Avoid exposing the rings to extreme temperatures or harsh chemicals.
- Store the rifle in a safe place when not in use, ensuring the rings and scope are protected from impacts.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling materials when possible.

Contact Information for Further Support

For any inquiries or safety concerns regarding the SIXHOLE PICATINNY RINGS, please refer to the manufacturer's contact point in your region.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk