

T-SERIES L2C LIGHT-BEARING HOLSTER - BLACKHAWK T-SERIES L2C HOLSTER GLOCK 17/22/31 W/TLR 7/8 RH BLACK

[Home](#)

T-SERIES L2C LIGHT-BEARING HOLSTER With its streamlined thumb-activated retention, the T-Series keeps your firearm at the ready while maintaining total security. Thanks to a drawing motion that operates off of the Master Grip Principle, you'll be able to get into the fight under even the most stressful of circumstances. A combination of reinforced outer polymer and smooth, sound-dampening, hydrophobic lining ensures your T-Series will perform no matter the elements and situation. Includes Quick Dual Release (QDR) Belt Loop mounted to holster and a 2-Slot Belt Loop is included in the box. Jacket Slot Belt Loop sold separately.



Attributes

- Name: [BLACKHAWK T-SERIES L2C HOLSTER GLOCK 17/22/31 W/TLR 7/8 RH BLACK](#)
- Manufacturer: [BLACKHAWK](#)
- Product no.: 100047359
- Mfr. No.: 410200BKR
- Colour: Black
- Hand: Right
- Material: Polymer
- Model: 17,22,47,35,34,31,41
- Style: Outside The Waistband
- Weapon type: Glock
- Delivery weight: 0.404kg
- Shipping height: 102mm
- Shipping width: 140mm
- Shipping length: 235mm
- UPC: 604544648065

Item details

Made in USA

Table of Contents

- Startpage
- TSERIES L2C Lightbearing Holster Safety Instructions
- About Us

TSERIES L2C LightBearing Holster Safety Instructions

Introduction

Thank you for purchasing the TSERIES L2C LightBearing Holster. This guide provides essential safety instructions, usage guidelines, and contact information for support. Please read this document carefully to ensure safe and effective use of your holster.

General Safety Guidelines

- Ensure that the holster is compatible with your firearm model (Glock 17, 22, 31, and TLR 7/8).
- Always treat your firearm as if it is loaded.
- Keep the holster and firearm out of reach of children and unauthorized users.
- Inspect the holster regularly for any signs of wear or damage.
- Do not modify the holster in any way that could compromise its safety or function.
- Follow all applicable laws and regulations regarding firearm storage and carry.

Specific Safety Precautions for Use

- Use the holster only for its intended purpose, which is to securely hold your firearm.
- Always ensure that the firearm is unloaded before placing it in the holster.
- When drawing your firearm from the holster, maintain proper firearm handling techniques.
- Avoid placing your finger on the trigger until you are ready to shoot.
- Be aware of your surroundings when drawing or reholstering your firearm.
- Ensure that the holster is properly secured to your belt or clothing before use.

Instructions for Installation and Usage

1. Installation:

- Attach the Quick Dual Release (QDR) Belt Loop to the holster.
- If using the included 2Slot Belt Loop, ensure it is securely fastened.
- Make sure the holster is positioned for easy access and comfort.

2. Usage:

- To draw your firearm, use the thumbactivated retention mechanism.
- Maintain a firm grip on the holster while drawing to ensure stability.
- After use, reholster your firearm carefully, ensuring it is secure.
- If using the Jacket Slot Belt Loop, ensure it is compatible with your clothing.

Disposal Instructions

- Dispose of the holster in accordance with local regulations.
- If the holster is damaged, do not attempt to repair it. Dispose of it safely.
- Recycle materials where possible, following local recycling guidelines.

Contact Information for Further Support

For any inquiries regarding the TSERIES L2C LightBearing Holster, including safety concerns or product issues, please refer to the contact information provided on the packaging or product label.

By following these safety instructions, you can ensure safe and effective use of your TSERIES L2C LightBearing Holster. Thank you for prioritizing safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk