

B-TM BARREL BAND FOR RUGER™ 10/22™ - SAMSON MANUFACTURING CORP B-TM BARREL BAND FOR RUGER 10/22 BLACK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The Samson barrel band replaces the factory barrel band on Ruger® 10/22® rifles and allows the attachment of a QD sling swivel. The band can be removed and flipped for the swivel mount to be located on the left or right side of the rifle.



Attributes

- Name: [SAMSON MANUFACTURING CORP B-TM BARREL BAND FOR RUGER 10/22 BLACK](#)
- Manufacturer: [SAMSON MANUFACTURING CORP](#)
- Product no.: 100047445
- Mfr. No.: 04-04081-01
- Colour: Black
- Material: Aluminum
- Model: 10/22
- Weapon type: Ruger
- Delivery weight: 0.036kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 165mm
- UPC: 850006871605

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- BTM Barrel Band for Ruger™ 10/22™ Safety Instruction Guide
- About Us

BTM Barrel Band for Ruger™ 10/22™ Safety Instruction Guide

Introduction

Thank you for choosing the BTM Barrel Band for your Ruger™ 10/22™ rifle. This safety instruction guide is designed to help you understand the proper use, installation, and maintenance of this product, ensuring a safe and enjoyable experience. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the rifle is unloaded before installing or adjusting the barrel band.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the barrel band for signs of wear or damage.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- The barrel band is designed for use with Ruger™ 10/22™ rifles only. Do not use it with other firearm models.
- When using the QD sling swivel, ensure it is securely attached before use.
- Avoid placing excessive weight or strain on the sling swivel to prevent damage or failure.
- Do not modify the barrel band or its components in any way, as this may compromise safety and performance.
- If you notice any unusual sounds or movements during use, cease operation immediately and inspect the product.

Instructions for Installation and Usage

Installation

1. Prepare the Rifle:

- Ensure the rifle is unloaded.
- Place the rifle on a stable surface.

2. Remove the Factory Barrel Band:

- Locate the factory barrel band on your Ruger™ 10/22™.
- Use the appropriate tools to remove the factory barrel band carefully.

3. Install the BTM Barrel Band:

- Position the BTM barrel band in place of the factory band.
- Ensure the band is properly aligned with the rifle.
- Securely fasten the barrel band according to the manufacturer's instructions.

4. Attach the QD Sling Swivel:

- Choose the desired side for the swivel mount (left or right).
- If necessary, flip the barrel band to position the swivel correctly.
- Attach the QD sling swivel securely.

Usage

- When using the sling, ensure it is adjusted to a comfortable length.
- Always maintain control of the rifle while using the sling.
- Regularly check the attachment points for security during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer usable, do not discard it in regular waste.
- Consider recycling the aluminum material where possible.

Contact Information for Further Support

For any inquiries or concerns regarding the BTM Barrel Band, please refer to the manufacturer's contact information provided with the product packaging. It is important to reach out to authorized personnel for assistance related to safety or product performance.

Thank you for prioritizing safety while enjoying your Ruger™ 10/22™ rifle with the BTM Barrel Band.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk