

# GAS CONTROL REBUILD KITS - RIFLESPEED GAS CONTROL REBUILD KIT #0 0.917"

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Pistons](#)

Rebuild your Riflespeed Gas Control with this OEM Rebuild Kit. Includes Plunger in your choice of sizes (see below), 17-7 stainless steel Wave Spring, Gas Tube Roll Pin, Barrel Cross Pin, and two Set Screws. Rebuild is recommended when replacing barrels or between 10,000 and 25,000 rounds, depending on your firing schedule. Sizes are based on the Plunger size included with each kit. Measure the plunger that is being replaced or refer to the Common Configurations and Settings chart on the Technical Documents page linked below to determine the correct size for your application.



## Attributes

- Name: [RIFLESPEED GAS CONTROL REBUILD KIT #0 0.917"](#)
- Manufacturer: [RIFLESPEED](#)
- Product no.: 100050274
- Mfr. No.: US0133
- Delivery weight: 0.045kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 127mm

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED
- About Us

# Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED

## Introduction

Thank you for choosing the GAS CONTROL REBUILD KIT RIFLESPEED. This guide provides essential safety instructions and usage information to ensure safe and effective use of the product. Please read this guide carefully before using the kit.

## General Safety Guidelines

- Ensure that all components are compatible with your specific Riflespeed Gas Control system.
- Only use the rebuild kit for its intended purpose. Misuse may lead to malfunctions or safety hazards.
- Keep the kit and its components out of reach of children and unauthorized users.
- Regularly check for wear and tear on the components and replace them as necessary.
- Follow all local laws and regulations regarding firearm modifications and maintenance.

## Specific Safety Precautions for Use

### • Potential Hazards:

- Improper installation can lead to gas leaks or malfunction.
- Using incorrect plunger sizes may affect gas regulation and firearm performance.

### • Avoiding Hazards:

- Always measure the plunger being replaced to ensure you select the correct size.
- Consult the Common Configurations and Settings chart on the Technical Documents page for guidance.
- Ensure that the firearm is unloaded and safe to work on before beginning any installation.
- Wear appropriate safety gear, including eye protection, while performing maintenance.

### • Warnings:

- This product is not intended for use by individuals under the age of 18 without adult supervision.
- If you are unsure about any step of the installation or usage, seek professional assistance.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools and components from the rebuild kit.
- Ensure your workspace is clean and welllit.

### 2. Disassembly:

- Unload the firearm and ensure it is in a safe condition.
- Carefully remove the existing gas control components as per the manufacturer's instructions.

### 3. Installation:

- Select the correct plunger size based on your measurements.
- Install the new components in the following order:

- Insert the new plunger.
- Place the 177 stainless steel Wave Spring.
- Secure with the Gas Tube Roll Pin.
- Insert the Barrel Cross Pin.
- Tighten the two Set Screws to secure the assembly.

#### **4. Final Checks:**

- Ensure all components are securely fastened and there are no loose parts.
- Perform a function check to ensure proper operation of the gas control.

#### **5. Maintenance:**

- Regularly inspect the gas control for signs of wear or damage.
- Follow the recommended rebuild schedule, ideally between 10,000 and 25,000 rounds.

## **Disposal Instructions**

- Dispose of any old or damaged components in accordance with local regulations.
- Do not dispose of components in regular household waste.
- Check with local waste management authorities for proper disposal methods for metal and plastic parts.

## **Contact Information for Further Support**

For questions, concerns, or further support regarding the GAS CONTROL REBUILD KIT RIFLESPEED, please refer to the manufacturer's website or contact your local dealer. Always ensure you are following the latest safety guidelines and regulations.

By adhering to these safety instructions, you can ensure the safe and effective use of the GAS CONTROL REBUILD KIT RIFLESPEED. Thank you for prioritizing safety in your firearm maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)