

# GAS CONTROL REBUILD KITS - RIFLESPEED GAS CONTROL REBUILD KIT #1 0.927"

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Pistons](#)

Rebuild your Riflespeed Gas Control with this OEM Rebuild Kit. Includes Plunger in your choice of sizes (see below), 17-7 stainless steel Wave Spring, Gas Tube Roll Pin, Barrel Cross Pin, and two Set Screws. Rebuild is recommended when replacing barrels or between 10,000 and 25,000 rounds, depending on your firing schedule. Sizes are based on the Plunger size included with each kit. Measure the plunger that is being replaced or refer to the Common Configurations and Settings chart on the Technical Documents page linked below to determine the correct size for your application.



## Attributes

- Name: [RIFLESPEED GAS CONTROL REBUILD KIT #1 0.927"](#)
- Manufacturer: [RIFLESPEED](#)
- Product no.: 100050275
- Mfr. No.: US0134
- Delivery weight: 0.045kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 127mm

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED GAS CONTROL REBUILD KIT #1 0.927"
- About Us

# **Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED GAS CONTROL REBUILD KIT #1 0.927"**

## **Introduction**

Thank you for choosing the GAS CONTROL REBUILD KIT from RIFLESPEED. This guide provides essential safety information and instructions to ensure the safe use of your product. Please read this guide carefully before installation or use.

## **General Safety Guidelines**

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate safety gear, including eye protection, when working with firearms.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

## **Specific Safety Precautions for Use**

- Only use the GAS CONTROL REBUILD KIT with compatible Riflespeed Gas Control systems.
- Ensure that the firearm is unloaded and safe before beginning any installation or maintenance work.
- Use only the recommended tools for installation to avoid damaging the components.
- Follow the recommended maintenance schedule, replacing the gas control components every 10,000 to 25,000 rounds, or when replacing barrels.
- Be cautious of sharp edges when handling the components of the kit.

## **Instructions for Installation and Usage**

### **1. Preparation**

- Gather all necessary tools and components from the GAS CONTROL REBUILD KIT.
- Ensure that the workspace is clean and welllit.

### **2. Disassembly**

- Ensure the firearm is unloaded.
- Remove the existing gas control plunger and any associated components as per the manufacturer's instructions.

### **3. Installation of New Components**

- Select the correct plunger size based on your measurements or the Common Configurations and Settings chart.
- Install the new plunger into the gas control system.
- Insert the 177 stainless steel Wave Spring, ensuring it is seated properly.
- Secure the gas tube roll pin and barrel cross pin in their designated positions.
- Install the two set screws, tightening them to the manufacturer's specifications.

### **4. Final Checks**

- Inspect all installed components for proper fit and function.
- Ensure that no tools or loose parts remain in the firearm.
- Conduct a function test to verify that the gas control system operates correctly.

## 5. Maintenance

- Regularly check the gas control system for signs of wear or damage.
- Clean and lubricate components as needed, following the manufacturer's recommendations.

## Disposal Instructions

- Dispose of any old or damaged components in accordance with local regulations.
- Recycle materials where possible, following appropriate recycling guidelines.

## Contact Information for Further Support

For safety inquiries or additional support, please refer to the manufacturer's contact details as provided on the product packaging or the manufacturer's website.

By following these guidelines and instructions, you can ensure the safe and effective use of your GAS CONTROL REBUILD KIT. Thank you for prioritizing safety and compliance with EU regulations.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)