

GAS CONTROL REBUILD KITS - RIFLESPEED GAS CONTROL REBUILD KIT #3 0.947"

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Pistons](#)

Rebuild your Riflespeed Gas Control with this OEM Rebuild Kit. Includes Plunger in your choice of sizes (see below), 17-7 stainless steel Wave Spring, Gas Tube Roll Pin, Barrel Cross Pin, and two Set Screws. Rebuild is recommended when replacing barrels or between 10,000 and 25,000 rounds, depending on your firing schedule. Sizes are based on the Plunger size included with each kit. Measure the plunger that is being replaced or refer to the Common Configurations and Settings chart on the Technical Documents page linked below to determine the correct size for your application.



Attributes

- Name: [RIFLESPEED GAS CONTROL REBUILD KIT #3 0.947"](#)
- Manufacturer: [RIFLESPEED](#)
- Product no.: 100050277
- Mfr. No.: US0136
- Delivery weight: 0.045kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 127mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED GAS CONTROL REBUILD KIT #3 0.947"](#)
- [About Us](#)

Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED GAS CONTROL REBUILD KIT #3 0.947"

Introduction

Thank you for choosing the GAS CONTROL REBUILD KIT RIFLESPEED GAS CONTROL REBUILD KIT #3 0.947". This guide provides essential safety instructions and information to ensure the safe use and maintenance of your product. Please read this guide carefully before use and keep it for future reference.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the product out of reach of children and vulnerable groups to prevent accidents.
- Regularly inspect the product for signs of wear or damage. Replace any worn or damaged components immediately.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the kit or performing installations.
- Ensure the firearm is unloaded and the working area is clear of any obstructions before starting any repairs or installations.
- Be aware of potential hazards associated with gas systems, including pressure and hot components.
- Do not attempt to modify or alter the kit components in any way, as this may compromise safety and performance.
- Follow all local laws and regulations regarding the use and maintenance of firearms.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and components before starting the installation.
- Ensure you are in a wellventilated area and have a clean workspace.

2. Installation Steps

- Remove the existing gas control system from the firearm, ensuring the firearm is completely unloaded.
- Measure the plunger that is being replaced to determine the correct size for your application.
- Refer to the Common Configurations and Settings chart on the Technical Documents page linked below if needed.
- Install the new plunger from the rebuild kit, ensuring it is seated correctly.
- Insert the 177 stainless steel Wave Spring, aligning it properly within the assembly.
- Secure the assembly with the Gas Tube Roll Pin, Barrel Cross Pin, and two Set Screws, ensuring all components are tightened to the manufacturer's specifications.
- Reassemble the firearm, checking that all parts are functioning correctly before use.

3. PostInstallation Checks

- Perform a function check on the firearm to ensure the gas control system operates as intended.
- Inspect for any leaks or irregularities during operation.

Disposal Instructions

- Dispose of any old or damaged components in accordance with local regulations.
- Do not dispose of the components in regular household waste. Instead, consider recycling options where available.

Contact Information for Further Support

For any questions or concerns regarding the GAS CONTROL REBUILD KIT RIFLESPEED GAS CONTROL REBUILD KIT #3 0.947", please refer to the manufacturer's website or customer support for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your GAS CONTROL REBUILD KIT. Thank you for your attention to safety and for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk