

# GAS CONTROL REBUILD KITS - RIFLESPEED GAS CONTROL REBUILD KIT #6 0.979"

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Pistons](#)

Rebuild your Riflespeed Gas Control with this OEM Rebuild Kit. Includes Plunger in your choice of sizes (see below), 17-7 stainless steel Wave Spring, Gas Tube Roll Pin, Barrel Cross Pin, and two Set Screws. Rebuild is recommended when replacing barrels or between 10,000 and 25,000 rounds, depending on your firing schedule. Sizes are based on the Plunger size included with each kit. Measure the plunger that is being replaced or refer to the Common Configurations and Settings chart on the Technical Documents page linked below to determine the correct size for your application.



## Attributes

- Name: [RIFLESPEED GAS CONTROL REBUILD KIT #6 0.979"](#)
- Manufacturer: [RIFLESPEED](#)
- Product no.: 100050280
- Mfr. No.: US0139
- Delivery weight: 0.045kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 127mm

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED
- About Us

# Safety Instruction Guide for GAS CONTROL REBUILD KITS RIFLESPEED

## Introduction

Thank you for choosing the GAS CONTROL REBUILD KIT #6 0.979" from RIFLESPEED. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before installation and usage.

## General Safety Guidelines

- Ensure safe use of the GAS CONTROL REBUILD KIT by following all instructions provided.
- Be aware of potential hazards associated with the product, including risks during installation and usage.
- Check for any product recalls or safety updates through the EU's Safety Gate platform.
- If you have any concerns regarding the product's safety, report them to the appropriate authorities.
- Remember that vulnerable groups, such as children, should not be allowed to handle or use this product.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection and gloves, when handling the GAS CONTROL REBUILD KIT.
- Ensure that the firearm is unloaded and the chamber is clear before beginning any work.
- Avoid using the kit in wet or damp conditions to prevent rust and corrosion.
- Keep all components out of reach of children and pets.
- Do not modify any components of the GAS CONTROL REBUILD KIT without proper knowledge and expertise.
- Regularly inspect the components for wear and tear before each use to ensure they are in good condition.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools and components before starting the installation.
- Ensure your work area is clean and welllit.

### 2. Disassembly

- Safely disassemble the gas control system according to your firearm's manual.
- Carefully remove the old plunger and other components that will be replaced.

### 3. Installation of New Components

- Select the correct plunger size based on measurements or refer to the Common Configurations and Settings chart.
- Install the new plunger, ensuring it is seated correctly.
- Insert the 177 stainless steel Wave Spring and ensure it is in the proper orientation.
- Use the Gas Tube Roll Pin, Barrel Cross Pin, and Set Screws as specified in the installation instructions.
- Doublecheck that all components are securely installed.

### 4. Final Checks

- Reassemble the gas control system following the firearm's manual.
- Conduct a function test to ensure the system operates correctly.
- Inspect for any leaks or unusual noises during operation.

## Disposal Instructions

- Dispose of any old or unused components in accordance with local regulations.
- Avoid throwing components in regular household waste.
- Check with local authorities for proper disposal methods for metal and other materials.

## Contact Information for Further Support

For any questions or concerns regarding the GAS CONTROL REBUILD KIT, please reach out to the appropriate support channels as indicated on the product packaging or documentation.

By following these instructions and guidelines, you can ensure a safe and effective experience with your GAS CONTROL REBUILD KIT #6 0.979" from RIFLESPEED. Thank you for prioritizing safety in your firearm maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)