

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.311" ROUND BALL 45.16GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.311" ROUND BALL 45.16GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053288
- Mfr. No.: 90406
- Delivery weight: 0.363kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307904067

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.311" ROUND BALL 45.16GR ROUND DOUBLE CAVITY MOLD
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.311" ROUND BALL 45.16GR ROUND DOUBLE CAVITY MOLD

Introduction

Thank you for choosing the Lee Precision Muzzleloader Round Ball Double Cavity Mold. This guide provides essential safety instructions and precautions to ensure safe and effective use of the product. Please read this guide carefully before use.

General Safety Guidelines

- Always read and understand the manufacturer's instructions before using the product.
- Ensure that the mold is used in a wellventilated area to avoid inhalation of fumes.
- Keep the mold out of reach of children and vulnerable individuals.
- Inspect the mold for any damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding the use of muzzleloading equipment.

Specific Safety Precautions for Use

- Wear appropriate safety gear, including gloves and safety glasses, when handling the mold.
- Handle molten lead with extreme caution to avoid burns or other injuries.
- Ensure that all equipment used with the mold is in good working condition.
- Do not attempt to modify or alter the mold in any way.
- Use the mold only for its intended purpose. Misuse can lead to accidents or injuries.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your workspace is clean and free from hazards.
- Gather all necessary materials, including lead and a heat source.

2. Setting Up the Mold:

- Place the mold on a stable, heatresistant surface.
- Ensure that the handles and sprue plate are securely attached.

3. Melting Lead:

- Heat the lead in a suitable melting pot until it reaches a liquid state.
- Use caution to avoid splashes or spills.

4. Filling the Mold:

- Carefully pour the molten lead into the mold cavities.
- Avoid overfilling to prevent spills.

5. Cooling:

- Allow the lead to cool and solidify completely before opening the mold.

- Use caution when handling the mold, as it may still be hot.

6. Removing the Cast Balls:

- Once cooled, gently open the mold and remove the cast balls.
- Inspect the balls for defects before use.

7. Cleaning the Mold:

- Clean the mold after each use to prevent buildup and ensure longevity.
- Follow the manufacturer's cleaning instructions carefully.

Disposal Instructions

- Dispose of any unused lead and waste materials in accordance with local regulations.
- Do not dispose of lead in regular household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of this product, please refer to the manufacturer's contact details provided with the product packaging.

Important Reminder

- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

By following these guidelines, you can ensure a safe and enjoyable experience with your Lee Precision Muzzleloader Round Ball Double Cavity Mold.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk