

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.375" ROUND BALL 79.16GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.375" ROUND BALL 79.16GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053289
- Mfr. No.: 90420
- Bullet Style: -
- Bullet Weight (Grains): -
- Cavities: -
- Diameter (in): -
- Delivery weight: 0.318kg
- Shipping height: 51mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307904203

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instructions for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.375" ROUND BALL 79.16GR ROUND DOUBLE CAVITY MOLD
- About Us

Safety Instructions for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.375" ROUND BALL 79.16GR ROUND DOUBLE CAVITY MOLD

Introduction

Thank you for choosing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS by LEE PRECISION. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this document carefully and keep it for future reference.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the mold with care to avoid injuries.
- Keep the mold out of reach of children and vulnerable individuals.
- Regularly inspect the mold for any signs of damage or wear.
- If you notice any defects or issues, discontinue use immediately and report them to the appropriate authorities.
- Follow all local regulations regarding the use and storage of muzzleloading equipment.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection and gloves, when using the mold.
- Ensure that the work area is wellventilated and free from flammable materials.
- Never leave molten lead unattended during the casting process.
- Use caution when handling hot materials to prevent burns.
- Do not exceed the recommended temperature for melting lead.
- Avoid inhaling fumes generated during the casting process.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the mold is clean and free from debris before use.
- Preheat the mold to the recommended temperature to ensure optimal casting.

2. Casting Process:

- Melt the lead in a suitable melting pot, following the manufacturer's instructions.
- Carefully pour the molten lead into the mold cavities, avoiding overfilling.
- Allow the lead to cool and solidify before removing the cast balls from the mold.

3. PostUse Care:

- Clean the mold thoroughly after each use to prevent lead buildup.
- Store the mold in a dry and safe location away from children.

Disposal Instructions

- Dispose of any leftover lead and waste materials in accordance with local regulations.
- Do not dispose of molten lead or any hazardous materials in regular household waste.
- Contact local waste management services for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS, please refer to the manufacturer's contact information provided on the product packaging or visit their official website for more details.

Thank you for prioritizing safety and responsible use of your LEE PRECISION products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk