

# **MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.457" ROUND BALL 143.28GR ROUND DOUBLE CAVITY MOLD**

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



## **Attributes**

- Name: [LEE PRECISION 0.457" ROUND BALL 143.28GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053292
- Mfr. No.: 90444
- Bullet Style: -
- Bullet Weight (Grains): -
- Cavities: -
- Diameter (in): -
- Delivery weight: 0.386kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 274mm
- UPC: 734307904449

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.457" ROUND BALL 143.28GR ROUND DOUBLE CAVITY MOLD
- About Us

# **Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS LEE PRECISION 0.457" ROUND BALL 143.28GR ROUND DOUBLE CAVITY MOLD**

## **Introduction**

Thank you for choosing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS from LEE PRECISION. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this guide carefully before using the product.

## **General Safety Guidelines**

- Always prioritize safety when handling and using the mould.
- Ensure the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the mould for any signs of damage or wear.
- If any part of the mould appears damaged, discontinue use immediately.
- Follow all local laws and regulations regarding the use of muzzleloaders.

## **Specific Safety Precautions for Use**

- Wear suitable personal protective equipment (PPE) such as gloves and safety goggles during use.
- Ensure that the working area is wellventilated and free from flammable materials.
- Avoid using the mould near open flames or heat sources.
- Do not exceed the recommended temperature limits while using the mould.
- Handle molten lead with extreme care to avoid burns or injuries.
- Always allow the mould to cool down before handling it after use.

## **Instructions for Installation and Usage**

- Before using the mould, ensure that it is clean and free from debris.
- Attach the handles securely to the mould before use.
- Preheat the mould to the recommended temperature to ensure optimal performance.
- Pour molten lead into the cavity, filling it to the brim.
- Allow the lead to cool and solidify before removing the round balls from the mould.
- Use the sprue plate to cut off any excess lead after pouring.
- Store the mould in a dry and cool place after use to prevent rust and damage.

## **Disposal Instructions**

- Dispose of any waste lead according to local regulations and guidelines.
- Do not dispose of lead in regular household waste.
- Ensure that all remnants of lead are cleaned from the working area after use.

## **Contact Information for Further Support**

For any inquiries regarding safety or product use, please contact the EUbased support team associated with this product.

Thank you for your attention to these safety guidelines. Your safety is our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)