

MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS - LEE PRECISION 0.530" ROUND BALL 223.49GR ROUND DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Round Ball Moulds have a tangential cut off which eliminates the objectional nib at the sprue. Handles and Sprue plate included.



Attributes

- Name: [LEE PRECISION 0.530" ROUND BALL 223.49GR ROUND DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053293
- Mfr. No.: 90283
- Bullet Style: -
- Bullet Weight (Grains): -
- Cavities: -
- Diameter (in): -
- Delivery weight: 0.386kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307902834

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS
- About Us

Safety Instruction Guide for MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS

Introduction

Thank you for choosing the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS by LEE PRECISION. This product is designed for safe and effective use in muzzleloading applications. To ensure your safety and the safety of others, please read and follow these instructions carefully.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Inspect the mold for any damage before each use.
- Keep out of reach of children and vulnerable individuals.
- Ensure that your workspace is clean, dry, and free from hazards.
- Wear appropriate safety gear, including gloves and eye protection, when handling the mold.
- Be aware of the potential hazards associated with hot materials and molten lead.

Specific Safety Precautions for Use

- Do not exceed the recommended temperature limits when using the mold.
- Avoid breathing in fumes generated during the melting process.
- Ensure proper ventilation in your workspace to disperse any harmful vapors.
- Use only lead or lead alloy that is suitable for casting round balls.
- Never leave the mold unattended while in use.
- Use caution when handling hot equipment and materials to prevent burns.

Instructions for Installation and Usage

1. Preparation:

- Clean the mold thoroughly before first use to remove any manufacturing residues.
- Ensure that the mold is dry and free from moisture.

2. Setup:

- Place the mold on a stable, heatresistant surface.
- Secure the mold in a suitable casting setup to prevent movement during use.

3. Melting Lead:

- Heat the lead or lead alloy in a suitable melting pot according to the manufacturer's guidelines.
- Monitor the temperature carefully to avoid overheating.

4. Casting:

- Once the lead is molten, pour it carefully into the mold cavities.
- Allow sufficient time for the lead to cool and solidify before opening the mold.

5. Finishing:

- After casting, open the mold carefully to remove the finished round balls.
- Inspect each round ball for defects and discard any that do not meet quality standards.

6. Storage:

- Store the mold in a cool, dry place when not in use.
- Keep the mold covered to prevent dust accumulation.

Disposal Instructions

- Dispose of any scrap lead or defective round balls in accordance with local regulations.
- Do not dispose of lead in regular trash; check for recycling options or hazardous waste disposal facilities.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS, please refer to the manufacturer's contact information provided with your product.

By following these guidelines, you can help ensure a safe and enjoyable experience with the MUZZLELOADER ROUND BALL DOUBLE CAVITY MOLDS. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk