

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 45 CALIBER (0.459") 500GR ROUND NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 45 CALIBER \(0.459"\) 500GR ROUND NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053294
- Mfr. No.: 90577
- Bullet Weight (Grains): 500
- Caliber: 45 Caliber
- Cavities: -
- Diameter (in): 0.459
- Delivery weight: 0.363kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307905774

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds Lee Precision 45 Caliber (0.459") 500gr Round Nose Double Cavity Mold
- About Us

Safety Instruction Guide for 2 Cavity Rifle Bullet Molds Lee Precision 45 Caliber (0.459") 500gr Round Nose Double Cavity Mold

Introduction

Thank you for purchasing the Lee Precision 2 Cavity Rifle Bullet Mold. This guide provides important safety instructions and guidelines to ensure the safe and effective use of this product. Please read this guide carefully before using the bullet mold.

General Safety Guidelines

- Ensure safe handling and use of all nonfood products.
- Be aware of potential hazards associated with mold use, including sharp edges and hot surfaces.
- Always follow safety practices when working with lead and casting equipment.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform for the latest safety information.

Specific Safety Precautions for Use

- Use protective gear, including gloves and safety goggles, when handling the mold.
- Ensure the workspace is wellventilated to avoid inhalation of fumes.
- Do not use the mold for any purpose other than its intended use.
- Avoid contact with hot surfaces to prevent burns.
- Keep the mold and surrounding area clean and free of debris.
- Store the mold in a safe location when not in use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials, including lead, a heat source, and protective gear.
- Ensure the mold is clean and free of any debris.

2. Heating the Mold:

- Place the mold on a stable, heatresistant surface.
- Preheat the mold using a suitable heat source until it reaches the appropriate temperature for lead casting.

3. Casting Bullets:

- Carefully pour molten lead into the mold cavities, ensuring not to overfill.
- Allow the lead to cool and solidify before opening the mold.
- Use the handles to safely open the mold and remove the cast bullets.

4. PostUse Care:

- Clean the mold thoroughly after each use to prevent lead buildup.
- Store the mold in a dry, safe place when not in use.

Disposal Instructions

- Dispose of any lead scrap and unused materials in accordance with local regulations.
- Do not dispose of lead in regular trash; follow guidelines for hazardous waste disposal.
- Ensure that all components of the product are disposed of safely and responsibly.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of this product, please refer to the manufacturer's contact information provided with your purchase.

Thank you for prioritizing safety while using the Lee Precision 2 Cavity Rifle Bullet Mold. Your adherence to these guidelines helps ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk