

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 30 CALIBER (0.309") 120GR ROUND NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 30 CALIBER \(0.309"\) 120GR ROUND NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053300
- Mfr. No.: 90364
- Bullet Weight (Grains): 120
- Caliber: 30 Caliber
- Cavities: -
- Diameter (in): 0.309
- Delivery weight: 0.34kg
- Shipping height: 51mm
- Shipping width: 69mm
- Shipping length: 272mm
- UPC: 734307903640

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instructions for 2 Cavity Rifle Bullet Molds
- About Us

Safety Instructions for 2 Cavity Rifle Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Rifle Bullet Molds by Lee Precision. This guide provides essential safety instructions to ensure safe and effective use of your bullet molds. Please read this document carefully before using the product.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the product is used only by individuals who are knowledgeable about bullet casting and firearm safety.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage to the mold before use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Heat Safety:** The molds can reach high temperatures during use. Always wear heatresistant gloves to prevent burns.
- **Ventilation:** Use the molds in a wellventilated area to avoid inhaling fumes from melting lead.
- **Personal Protective Equipment (PPE):** Wear safety goggles and a dust mask when handling lead and during the casting process.
- **Lead Safety:** Be aware of the risks associated with lead exposure. Wash your hands thoroughly after handling lead and avoid eating or drinking in the work area.
- **Mold Handling:** Handle the molds carefully to avoid dropping or damaging them. Do not use excessive force when closing the mold.

Instructions for Installation and Usage

1. Preparation:

- Ensure your workspace is clean and organized.
- Gather all necessary equipment, including a lead pot, heat source, and protective gear.

2. Setup:

- Place the mold on a stable, heatresistant surface.
- Preheat the mold using a heat source until it reaches the appropriate temperature for casting.

3. Casting Process:

- Pour molten lead into the mold cavities slowly to avoid spills.
- Allow the lead to cool and solidify before opening the mold.
- Open the mold carefully to remove the cast bullets, ensuring that you do not damage the mold.

4. PostUse Care:

- Clean the molds after each use to remove any lead residue.
- Store the molds in a dry place to prevent corrosion.

Disposal Instructions

- Dispose of any lead scrap or waste according to local regulations regarding hazardous materials.
- Do not throw lead waste in regular trash. Instead, contact local recycling centers for proper disposal options.

Contact Information for Further Support

For any inquiries or further assistance regarding the product, please refer to the manufacturer's website or customer service resources.

By following these safety instructions, you can ensure a safe and enjoyable experience while using your 2 Cavity Rifle Bullet Molds. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk