

HANDGUN BULLET MOULDS - LEE PRECISION 32 CALIBER (0.314") 90GR SEMI-WAD CUTTER MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All moulds are double cavity to speed casting. Include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 32 CALIBER \(0.314"\) 90GR SEMI-WAD CUTTER MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053313
- Mfr. No.: 90311
- Bullet Style: -
- Bullet Weight (Grains): 90
- Caliber: 32 Caliber
- Cavities: 2
- Diameter (in): 0.314
- Delivery weight: 0.363kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307903114

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for HANDGUN BULLET MOULDS LEE PRECISION 32 CALIBER (0.314") 90GR SEMIWADCUTTER MOLD
- About Us

Safety Instruction Guide for HANDGUN BULLET MOULDS LEE PRECISION 32 CALIBER (0.314") 90GR SEMIWADCUITER MOLD

Introduction

Thank you for choosing the HANDGUN BULLET MOULDS LEE PRECISION 32 CALIBER (0.314") 90GR SEMIWADCUITER MOLD. This guide provides essential safety instructions to ensure the safe use of this product. Please read this guide carefully before use to understand the potential hazards and how to avoid them.

General Safety Guidelines

- Ensure that you are familiar with the safe handling and operation of casting equipment before using this product.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and heatresistant gloves, when working with molten lead and casting tools.
- Keep the workspace clean and organized to prevent accidents and ensure a safe working environment.
- Store the moulds in a dry place and away from children's reach.
- Be aware of the risks associated with lead exposure and take necessary precautions to minimize contact.
- Regularly check for any signs of damage or wear on the moulds and associated equipment.

Specific Safety Precautions for Use

- Always use the mould in a wellventilated area to avoid inhaling fumes from molten lead.
- Do not exceed the recommended temperature when melting lead, as overheating can cause lead to vaporize and create hazardous fumes.
- Avoid using the mould if it shows signs of damage, such as cracks or warping, as this may lead to unsafe casting conditions.
- Ensure that the mould is securely mounted to prevent movement during use.
- Never leave molten lead unattended, and always have a fire extinguisher nearby when working with hot materials.
- Keep flammable materials away from the casting area.

Instructions for Installation and Usage

1. Preparation:

- Clean the mould with a suitable solvent to remove any manufacturing residues.
- Apply a light coat of mould release agent to ensure easy bullet removal.

2. Setup:

- Securely attach the mould to your casting platform or bench.
- Ensure that the sprue plate is properly aligned and functioning.

3. Melting Lead:

- Use a lead melting pot that is designed for the specific type of lead you are using.
- Heat the lead to the recommended temperature (approximately 650°F to 750°F or 343°C to 399°C).

4. Casting:

- Pour the molten lead into the mould cavities, ensuring that they are completely filled.
- Allow the lead to cool and solidify according to the manufacturer's recommendations.

5. Removing Bullets:

- Once the bullets have cooled, carefully open the mould and remove the bullets.
- Inspect each bullet for defects before use.

6. PostUse Care:

- Clean the mould after each use to prevent buildup of lead or other materials.
- Store the mould in a safe, dry place.

Disposal Instructions

- Dispose of any lead scrap or waste according to local regulations regarding hazardous materials.
- Do not dispose of lead in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the HANDGUN BULLET MOULDS LEE PRECISION 32 CALIBER (0.314") 90GR SEMIWADCUTTER MOLD, it is important to consult with a qualified professional or refer to the manufacturer's official resources.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your HANDGUN BULLET MOULDS LEE PRECISION product. Thank you for prioritizing safety in your casting activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk