

HANDGUN BULLET MOULDS - LEE PRECISION 45 CALIBER (0.452") 200GR ROUND FLAT NOSE MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All moulds are double cavity to speed casting. Include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 45 CALIBER \(0.452"\) 200GR ROUND FLAT NOSE MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053319
- Mfr. No.: 90234
- Bullet Style: -
- Bullet Weight (Grains): 200
- Caliber: 45 Caliber
- Cavities: 2
- Diameter (in): 0.452
- Delivery weight: 0.386kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307902346

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Lee Precision 45 Caliber Handgun Bullet Moulds
- About Us

Safety Instruction Guide for Lee Precision 45 Caliber Handgun Bullet Moulds

Introduction

Thank you for choosing the Lee Precision 45 Caliber (0.452") 200gr Round Flat Nose Mold. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before using the mould.

General Safety Guidelines

- Always handle the mold with care to prevent injury.
- Use the mould in a wellventilated area to avoid inhalation of fumes from the melting lead.
- Keep the mould away from children and pets to prevent accidents.
- Regularly inspect the mould for any signs of wear or damage before use.
- Follow all local laws and regulations regarding the casting of bullets.

Specific Safety Precautions for Use

- Ensure that your work area is clean and free of clutter to avoid accidents.
- Always wear appropriate personal protective equipment (PPE), including:
 - Safety goggles to protect your eyes.
 - Heatresistant gloves to protect your hands from burns.
 - A dust mask to avoid inhaling any fumes or dust.
- Never leave molten lead unattended.
- Use a proper lead melting furnace or pot that is designed for this purpose.
- Keep a fire extinguisher nearby in case of emergencies.
- Be aware of the risks associated with lead exposure and take necessary precautions to minimize contact.

Instructions for Installation and Usage

1. Setup:

- Place the mould on a stable, heatresistant surface.
- Ensure that the handles are securely attached before use.

2. Melting Lead:

- Use a lead melting pot to melt the lead ingots.
- Follow the manufacturer's instructions for the melting pot.

3. Casting Bullets:

- Once the lead is molten, carefully pour the lead into the mould cavities.
- Fill each cavity to the brim to ensure proper bullet formation.
- Allow the lead to cool and solidify before opening the mould.

4. Removing Bullets:

- Once cooled, gently open the mould to remove the cast bullets.
- Use caution to avoid damaging the bullets or the mould.

5. Cleaning the Mould:

- After use, clean the mould with a soft brush to remove any lead residue.
- Do not use abrasive materials that could damage the mould surface.

Disposal Instructions

- Dispose of any lead scrap or waste in accordance with local regulations.
- Do not dispose of lead in regular trash; contact local waste management for proper disposal methods.
- Ensure that any leftover materials are stored safely and securely.

Contact Information for Further Support

For any safety inquiries or concerns regarding the use of this product, please contact your local distributor or refer to the manufacturer's website for support.

By following these guidelines, you can ensure a safe and efficient experience while using the Lee Precision 45 Caliber Handgun Bullet Mould. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk